

1. Product and Company Iden	tification				
PRODUCT NUMBER:	1238		COMPANY PHONE:	1-800-241-8180	
PRODUCT NAME:	COIL BRITE		EMERGENCY TELEPH		
PRODUCT DESCRIPTION:	Aerosol Bioenzymatic Cleaner	Foaming Coil	INFOTRAC:	1-800-535-5053	
COMPANY INFORMATION:	PRO CHEM, INC. 1475 Bluegrass Lake Alpharetta, GA 30004				
2. Hazards Identification					
GHS CLASSIFICATION: Physical hazards: Flammable ae Health hazards: Not classified. OSHA defined hazards: Not class	• •	SIGNAL WORD: DANGER	SYMBOL:		
Pressurized container Response: IF EXPOS Storage: Protect from	ITS: ay from heat/sparks/ope : Do not pierce or burn, SED OR CONCERNED: sunlight. Do not expose waste and residues in a SPECIFIED:	even after use. Get medical advice/a to temperatures exc	attention. eeding 50°C/122°F.	ray on an open flame or other ignition source	· · ·
None.	-				
3. Composition / Information c Chemical Name	mingrealents		CAS	Concentration % by Weig	aht
Butane			106-97-8	1-2.5	,
Propane			74-98-6	1-2.5	
Sodium Nitrite			7632-00-0	0.1-1	
Other components below reporta *Designates that a specific chem				90-100	
SKIN: Wash off with soap an INHALATION: If symptoms develop r INGESTION: Rinse mouth. Get med MOST IMPORTANT SYMPTOM	medical attention if irrita d water. Get medical at nove victim to fresh air. lical attention if symptor (S/EFFECTS, ACUTE A se may cause temporar) IEDICAL ATTENTION A	tion develops and pe tention if irritation dev Get medical attentior ns occur. ND DELAYED: / irritation.	rsists. elops and persists. n if symptoms persist.	to protect themselves.	
5. Fire Fighting Measures					
SPECIFIC HAZARDS ARISING Contents under press	SHING MEDIA: s an extinguisher, as thi FROM THE CHEMICA	L:	n exposed to heat or flame	e. During fire, gases hazardous to health ma	ly be
massive fire in cargo a firefighting procedures SPECIAL PROTECTIVE EQUIP	fire area if you can do s area, use unmanned hos and consider the hazar <b>MENT FOR FIREFIGH</b> standard protective equi	se holder or monitor r rds of other involved r <b>TERS:</b>	nozzles, if possible. If not, materials. In the event of f	th water to prevent vapor pressure build up. I withdraw and let fire burn out. Use standard fire and/or explosion do not breathe fumes. with face shield, gloves, rubber boots, and in	
GENERAL FIRE HAZARDS: Extremely flammable					

## 6. Accidental Release Measures

#### PERSONAL PRECAUTIONS:

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during cleanup. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see Section 8 of the SDS.

#### MATERIALS AND METHODS FOR CLEANUP:

Refer to attached safety data sheets and/or instructions for use. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Isolate area until gas has dispersed. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediatee area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. For waste disposal, see Section 13 of the SDS. **ENVIRONMENTAL PRECAUTIONS:** 

#### Avoid discharge into drains, watercourses or onto the ground.

#### 7. Handling and Storage SAFE HANDLING:

Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Do not reuse empty containers. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

#### SAFE STORAGE & INCOMPATIBILITIES:

Level 1 Aerosol.

Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122 °F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Store away from incompatible materials (see Section 10 of the SDS).

#### 8. Exposure Controls / Personal Protection

### Occupational exposure limits

COMPONENTS	TYPE	VALUE	
Propane (CAS 74-98-6)	PEL	1800 mg/m³	
		1000 ppm	
US. ACGIH Threshold Limit Values			
COMPONENTS	TYPE	VALUE	
Butane (CAS 106-97-8)	STEL	1000 ppm	
US. NIOSH: Pocket Guide to Chemical Hazards			
COMPONENTS	TYPE	VALUE	
Butane (CAS 106-97-8)	TWA	1900 mg/m <sup>3</sup>	
		800 ppm	
Propane (CAS 74-98-6)	TWA	1800 mg/m <sup>3</sup>	
,		1000 ppm	

#### **BIOLOGICAL LIMIT VALUE:**

No biological exposure limits noted for the ingredient(s).

#### APPROPRIATE ENGINEERING CONTROLS:

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

INDIVIDUAL PROTECTION MEASURES, SUCH AS PERSONAL PROTECTIVE EQUIPMENT:



Eve Protection: Wear safety glasses with side shields (or goggles).

Skin Protection: Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove supplier. Wear suitable protective clothing.

Respiratory Protection: If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-supplied respirator. Thermal Hazards: Wear appropriate thermal protective clothing, when necessary.

General Hygiene Considerations: When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants

9. Physical & Chemical Properties			
Physical State:	Gas.	Flammability (solid/gas):	Not available.
Form:	Aerosol.	Flammability Limit–lower (%)	Not available.
Color:	Not available.	Flammability Limit–upper (%):	Not available.
Odor:	Not available.	Explosive Limit – lower (%):	Not available.
Odor Threshold:	Not available.	Explosive Limit – upper (%):	Not available.
pH:	Not available.	Vapor Pressure:	80 psig @70°F estimated
Melting/Freezing Point:	Not available.	Vapor Density:	Not available.
Initial Boiling Point/Range:	212°F (100°C) estimated.	Relative Density:	Not available.
Partition Coeff (n-octanol/water):	Not available.	Solubility (water):	Not available.

Viscosity:	Not availab	le.	Auto-Ignition Temperature:	Not available.
Specific Gravity:	0.936 estim	ated.	Decomposition Temperature:	Not available.
Flash Point:	-156.0°F (-104.4°C) Prope	llant estimated.	Evaporation Rate:	Not available.
Explosive Properties:	Not explosi	ve.	Oxidizing Properties:	Not oxidizing.
10. Stability & Reactivit	y Information			
REACTIVITY:				
The product is CHEMICAL STABILITY:		er normal conditior	ns of use, storage and transport.	
Material is stab	ble under normal conditions.			
POSSIBILITY OF HAZA	RDOUS REACTIONS: ymerization does not occur.			
INCOMPATIBLE MATER	RIALS:			
Strong oxidizin CONDITIONS TO AVOID				
Avoid temperat HAZARDOUS DECOMP	tures exceeding the flash po	int. Contact with ind	compatible materials.	
	decomposition products are	known.		
	• •			
11. Toxicological Inform PRIMARY ROUTE OF E				
Eyes: Direct co	ontact with eyes may cause			
Skin: No adve	erse effects due to skin conta o adverse effects due to inha	act are expected.	Ч	
Ingestion: Ex	pected to be a low ingestion	hazard.		
	TO THE PHYSICAL, CHEM with eyes may cause tempor		OLOGICAL CHARACTERISTICS:	
ACUTE TOXICITY:	, , , , , , , , , , , , , , , , , , , ,	,		
COMPONEN Butane (CAS		SPECIES	TEST RESULTS	
Aci				
	alation		1007	
LCS		Mouse	1237 mg/l, 120 Minutes 52 %, 120 Minutes	
Propane (CAS		Rat	1355 mg/l	
Act	/			
	alation			
LCS	50	Mouse	1237 mg/l, 120 Minutes 52 %, 120 Minutes	
		Rat	1355 mg/l	
Sodium Nitrite	e (CAS 7632-00-0)		658 mg/l/4h	
Acu	ute			
Ora LDS		Rat	180 mg/kg	
* Estimates for	product may be based on a			
SKIN CORROSION/IRRI Prolonged skin	ITATION: I contact may cause tempora	ary irritation.		
SERIOUS EYE DAMAGE	E/IRRITATIÓN:			
RESPIRATORY SENSIT	with eyes may cause tempor <b>TZATION:</b>	ary irritation.		
Not a respirato				
SKIN SENSITIZATION: This product is	not expected to cause skin	sensitization.		
GERM CELL MUTAGEN			ant at greater than 0.10/ are much	onio er constavia
No data availat	bie to indicate product or any	components pres	ent at greater than 0.1% are mutag	enic or genotoxic.
This product is	not considered to be a carci			
	aphs. Overall Evaluation or cally Regulated Substance			
US. National T	Toxicology Program (NTP)			
REPRODUCTIVE TOXIC This product is	CITY: not expected to cause repro	ductive or develop	mental effects.	
SPECIFIC TARGET OR	GAN TOXICITY (single exp			
Not classified. SPECIFIC TARGET OR	GAN TOXICITY (repeated e	xposures):		
Not classified.	· •	- ,		
ASPIRATION HAZARD: Not likely, due	to the form of the product.			

12. Ecol	logical Information			
ECOTO	-	· · · · · ·		
	The product is not clas a harmful or damaging			ne possibility that large or frequent spills can have
	a namini or uamaying	enection the environm	nent.	
COMP	ONENTS	SPEC	IES	TEST RESULTS
Sodiun	n Nitrite (CAS 7632-00-0	)		
	Aquatic			
	Crustacea Fish		yback shrimp (Metapenaeus ensis) ow trout,donaldson trout (Oncorhynchus mykiss)	16.14 - 26.61 mg/l, 48 hours 0.15 - 0.25 mg/l, 96 hours
			ditional component data not shown.	0.15 - 0.25 mg/l, 98 hours
PERSIS	TENCE AND DEGRADA			
	No data is available on		his product.	
BIOACC				
	Partition coefficient r Butane	2.89	( KOW):	
	Propane	2.36		
MOBILI	TY IN SOIL:			
	No data available.			
OTHER	ADVERSE EFFECTS:	entel effecte (e.e.		
	potential) are expected		. ozone depletion, photochemical ozone creation	potential, endocrine disruption, global warming
			·	
	oosal Consideration			
DISPOS	SAL INSTRUCTIONS:			
			tainers at licensed waste disposal site. Contents u	
LOCAI	DISPOSAL REGULATIO		ordance with local/regional/national/international re	zyulalions.
	Dispose in accordance		gulations.	
HAZARI	DOUS WASTE CODE:		-	
WAOTE			ission between the user, the producer and the wa	ste disposal company.
WASTE	FROM RESIDUES/UNU		ons. Empty containers or liners may retain some p	product residues. This material and its container
	must be disposed of in			
CONTA	MINATED PACKAGING	:	· · ·	
				er is emptied. Empty containers should be taken to
	an approved waste-ha	ndling site for recyclin	g or disposal. Do not reuse empty containers.	
14. Tran	nsportation Information			
DOT:	UN Number: UN1950			
	UN Proper Shipping			
	Transport Hazard Cla Class: 2.1	iss(es)	FLAMMABLE GAS	
	Subsidiary	Risk: -		
	Label(s): 2.			
	Packing Group: Not	applicable.		
			y instructions, SDS and emergency procedures be	efore handling.
	Special Provisions:			
	Packaging Exception Packaging Nonbulk:	None.		
	Packaging Bulk: Nor			
IATA:	UN Number: UN1950	)		
	UN Proper Shipping		nmable	
	Transport Hazard Cla Class: 2.1	ISS(ES)		
	Subsidiary	Risk: -	W	
	Label(s): 2.			
	Packing Group: Not	applicable.		
	invironmental Hazards:	No.		
	RG Code: 10L	Harm Dead acted	the stings CDC and amount of the state	a bandling
	-	User: Read safety ins	structions, SDS and emergency procedures befor	e nandling.
0	Other Information: Passenger and Cargo	Aircraft. Allowed w	ith restrictions	
	Cargo Aircraft Only:			
	Packaging Exception			
IMDG:	UN NUMBER: UN195			
	UN Proper Shipping			
	Transport Hazard Cla			
	Class: 2.1	Diala.	2	
	Subsidiary		V	
	Label(s): 2. Packing Group: Not:			
	Label(s): 2. Packing Group: Not : Environmental Hazar	applicable.		

Packagi	Precautions for User: Read safety instructions, SDS and emergency procedures before handling. ng Exceptions: LTD QTY SULK ACCORDING TO ANNEX II OF MARPOL 73/78 and the IBC CODE:
5. Regulatory In	ormation
S FEDERAL RE	
-	duct is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
	ection 12(b) Export Notification (40 CFR 707, Subpt. D): Not regulated.
CERCL	A Hazardous Substance List (40 CFR 302.4):
	Sodium Nitrite (CAS 7632-00-0) Listed.
	04 Emergency release notification: Not regulated.
	pecifically Regulated Substances (29 CFR 1910.1001-1050): Not regulated.
	ENDMENTS AND REAUTHORIZATION ACT of 1986 (SARA): categories: Immediate Hazard – No.
Hazaru	Delayed Hazard – No.
	Fire Hazard – Yes.
	Pressure Hazard – Yes.
	Reactivity Hazard – No.
	02 Extremely hazardous substance: Not listed.
	11/312 Hazardous Chemical: No.
SARA 3	13 (TRI reporting):
	Sodium Nitrite (CAS #7632-00-0): 0.1-1% by weight.
	. REGULATIONS
	ir Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List: Not regulated.
Clean A	r Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):
	Butane (CAS 106-97-8) Propane (CAS 74-98-6)
Safe Dri	nking Water Act (SDWA): Not regulated.
S STATE REGU	
	fornia Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100): Not listed.
	fornia. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd.(a)): Butane (CAS 106-97-8)
US. Mas	sachusetts RTK - Substance List:
	Butane (CAS 106-97-8)
	Propane (CAS 74-98-6)
	Sodium Nitrite (CAS 7632-00-0)
US. Nev	v Jersey Worker and Community Right-to-Know Act:
	Butane (CAS 106-97-8)
	Propane (CAS 74-98-6)
	Sodium Nitrite (CAS 7632-00-0)
US. Pen	nsylvania Worker and Community Right-to-Know Law:
	Butane (CAS 106-97-8) Propane (CAS 74-98-6)
	Sodium Nitrite (CAS 7632-00-0)
US. Rho	de Island RTK:
	Butane (CAS 106-97-8)
	Propane (CAS 74-98-6)
	Sodium Nitrite (CAS 7632-00-0)
	fornia Proposition 65: California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not kn
	n any chemicals currently listed as carcinogens or reproductive toxins. ifornia Proposition 65 - CRT: Listed date/Developmental toxin:
03 - Ca	Ethylene Glycol (CAS 107-21-1) Listed: June 19, 2015
Country(s) or re	
Australia	Australian Inventory of Chemical Substances (AICS)
Canada	Domestic Substances List (DSL)
Canada China	Non-Domestic Substances List (NDSL)
Europe	Inventory of Existing Chemical Substances in China (IECSC) European Inventory of Existing Commercial Chemical Substances (EINECS)
Europe	European List of Notified Chemical Substances (ELINCS)
Japan	Inventory of Existing and New Chemical Substances (ENCS)
Korea	Existing Chemicals List (ECL)
New Zealand	New Zealand Inventory
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
United States & I	
	that all components of this product comply with the inventory requirements administered by the governing country(s)

# 16. Other Information DISCLAIMER:

To the best of our knowledge, information contained herein is accurate. However, there is no assumption of liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazard, which exists. The information contained in this SDS was obtained from current and reliable sources; however, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions or handling, storage and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty, expressed or inferred, regarding the product described in this SDS shall be created or inferred by any statement in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product, which may not be covered by this SDS. The user is responsible for full compliance.