

Date Prepared: 05/10/2016 Reviewed On: 04/22/2016

1 Identification

· Product Identifier:

· Product Name: TB Quick Stain, Carbol Fuchsin

· Catalog Number: 212316

· Application of the substance / the mixture Laboratory Chemicals

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

BD Diagnostic Systems

7 Loveton Circle Sparks, MD 21152

Telephone: (410) 771 - 0100 or (800) 638 – 8663 Email Address: Technical_Services @bd.com • Information Department: Technical Service

· Emergency telephone number:

In case of a chemical emergency, spill, fire, exposure, or accident, contact BD Diagnostic

Systems (410) 771-0100 or (800)-638-8663, or ChemTrec at (800) 424-9300.

2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flam. Liq. 3 H226 Flammable liquid and vapor.



GHS08 Health hazard

Muta. 2 H341 Suspected of causing genetic defects.

Carc. 1B H350 May cause cancer.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)



Date Prepared: 05/10/2016 Reviewed On: 04/22/2016

Product Name: TB Quick Stain, Carbol Fuchsin

(Contd. of page 1)

· Hazard pictograms







GHS02 GHS05 GHS08

· Signal word Danger

· Hazard-determining components of labeling:

phenol

basic fuchsin

· Hazard statements

H226 Flammable liquid and vapor.

H314 Causes severe skin burns and eye damage.

H341 Suspected of causing genetic defects.

H350 May cause cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P260 Do not breathe dusts or mists.

P280 Wear protective gloves / eye protection / face protection.

P240 Ground/bond container and receiving equipment.

P233 Keep container tightly closed. P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P264 Wash thoroughly after handling.
P201 Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

P363 Wash contaminated clothing before reuse.

P308+P313 IF exposed or concerned: Get medical advice/attention. P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P314 Get medical advice/attention if you feel unwell.

P370+P378 In case of fire: Use for extinction: CO2, powder or water spray.

P405 Store locked up.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

(Contd. on page 3)



Reviewed On: 04/22/2016 Date Prepared: 05/10/2016

Product Name: TB Quick Stain, Carbol Fuchsin

(Contd. of page 2)

· NFPA ratings (scale 0-4)



Health = 3Flammability = 3Reactivity = 0

· HMIS ratings (scale 0-4)



*3 Health = *3 3 Flammability = 3REACTIVITY \bigcirc Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixture
- · Description: Mixture consisting of the following components.

· Dangerous Components:				
CAS: 64-17-5	ethanol	19.0%		
EINECS: 200-578-6	Flam. Liq. 2, H225			
CAS: 108-95-2	phenol	6.0%		
EINECS: 203-632-7	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; Muta. 2, H341; STOT RE 2, H373; Skin Corr. 1B, H314			
CAS: 569-61-9	basic fuchsin	0.1%		
EINECS: 209-321-2	Carc. 1B, H350			

· Additional information Risk phrases refer to section 15.

4 First-aid measures

- · Description of first aid measures
- · General information

Symptoms of poisoning may even occur after several hours; therefore provide medical observation for at least 48 hours after the accident.

- · After inhalation Seek medical treatment in case of complaints.
- · After skin contact Immediately wash with water and soap and rinse thoroughly.
- · After eye contact

Rinse opened eye for 15 minutes under running water. Then consult a doctor.

- · After swallowing Call a doctor immediately.
- · Information for doctor Show this product label or this SDS.

(Contd. on page 4)



Date Prepared: 05/10/2016 Reviewed On: 04/22/2016

Product Name: TB Quick Stain, Carbol Fuchsin

(Contd. of page 3)

· Most important symptoms and effects, both acute and delayed No further relevant information available.

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents

CO2, ABC multipurpose dry chemical or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Wipe up with damp sponge or mop.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling
- · Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility:

Store away from oxidizing agents.

Further information about storage conditions:

Store in cool, dry conditions in well sealed containers.

(Contd. on page 5)



Date Prepared: 05/10/2016 Reviewed On: 04/22/2016

Product Name: TB Quick Stain, Carbol Fuchsin

(Contd. of page 4)

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems:

No further data; see Section 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

64-17-5 ethanol

PEL 1900 mg/m³, 1000 ppm REL 1900 mg/m³, 1000 ppm TLV 1880 mg/m³, 1000 ppm

108-95-2 phenol

PEL 19 mg/m³, 5 ppm

Skin

REL Short-term value: C 60* mg/m³, C 15.6* ppm

Long-term value: 19 mg/m³, 5 ppm

*15-min

TLV 19 mg/m³, 5 ppm

Skin; BEI

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal Protective Equipment
- · General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure, use a chemical fume hood or a NIOSH/MSHA-approved respirator.

· Protection of hands:





Chemical resistant gloves (i.e. nitrile, or equivalent).

- · Eye protection: Safety glasses
- · Body protection: Protective work clothing (lab coat).



Date Prepared: 05/10/2016 Reviewed On: 04/22/2016

Product Name: TB Quick Stain, Carbol Fuchsin

(Contd. of page 5)

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Liquid
Color: Red
· Odor: Alcohol-like

· Change in condition

Melting point/Melting range: Not determined Boiling point/Boiling range: 92 °C (198 °F)

• **Flash point:** 26.7 °C (80 °F)

· Ignition temperature: 425.0 °C (797 °F)

· Auto igniting: Product is not self igniting.

• **Danger of explosion:** Product is not explosive. However, formation of explosive

air/vapor mixtures are possible.

· Explosion limits:

Lower: 3.5 Vol % **Upper:** 15.0 Vol %

· Vapor pressure at 20 °C (68 °F): 59.0 mbar

· **Density:** Not determined

· Solubility in / Miscibility with

Water: Soluble

· Solvent content:

Organic solvents: 19.0 %

Other information
 No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products:

Nitrogen oxides (NOx)

Carbon monoxide (CO) and carbon dioxide (CO2)

(Contd. on page 7)



Date Prepared: 05/10/2016 Reviewed On: 04/22/2016

Product Name: TB Quick Stain, Carbol Fuchsin

(Contd. of page 6)

Ammonia (NH4)

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC5	· LD/LC50 values that are relevant for classification:					
64-17-5 ethanol						
Oral	LD50	3450 mg/kg (MOU)				
		7060 mg/kg (rat)				
108-95-	108-95-2 phenol					
Oral	LD50	300 mg/kg (mus)				
		317 mg/kg (rat)				
Dermal	LD50	670 mg/kg (rat)				
569-61-9 basic fuchsin						
Oral	LD50	500 mg/kg (mou)				

- · Primary irritant effect:
- · on the skin: Caustic effect on skin and mucous membranes.
- · on the eye: Strong caustic effect.
- · Sensitization: No sensitizing effects known.
- · Subacute to chronic toxicity: Target organs: thyroid, kidney, ureter or bladder tumors.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Toxic

Corrosive (causes skin burns)

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

Carcinogenic

· Carcinogenic categories

· IARC (Int	ernational Agency for Research on Cancer)	
108-95-2	phenol	3
569-61-9	basic fuchsin	2B
· NTP (Nat	ional Toxicology Program)	
569-61-9	basic fuchsin	R
· OSHA-Ca	(Occupational Safety & Health Administration)	
None of th	ne ingredients is listed.	

- US



Date Prepared: 05/10/2016 Reviewed On: 04/22/2016

Product Name: TB Quick Stain, Carbol Fuchsin

(Contd. of page 7)

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Other information:

The ecological effects have not been thoroughly investigated, but currently none have been identified.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods
- · Recommendation

Must not be disposed of with solid waste.

Dispose of material in accordance with federal (40 CFR 261.3), state and local requirements. RCRA hazardous waste - RCRA # D001 (ignitable).

- · Uncleaned packagings:
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

· UN-Number

DOT
 IMDG, IATA

 UN3316
 3316

· UN proper shipping name

· IMDG, IATA CHEMICAL KITS

(Contd. on page 9)



Date Prepared: 05/10/2016 Reviewed On: 04/22/2016

Product Name: TB Quick Stain, Carbol Fuchsin

(Contd. of page 8)

· Transport hazard class(es)

· DOT, IMDG, IATA



· Class 9 Miscellaneous dangerous substances and

articles

· Label 9

· Packing group

· DOT, IMDG, IATA |||

· Environmental hazards:

· Marine pollutant: No

· Special precautions for user Warning: Miscellaneous dangerous substances

and articles

· EMS Number: F-A,S-P

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· UN "Model Regulation": UN3316, CHEMICAL KITS, 9, III

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · SARA Section 355 (extremely hazardous substances)

108-95-2 phenol

· SARA Section 313 (specific toxic chemical listings)

64-17-5 ethanol

108-95-2 phenol

· TSCA (Toxic Substances Control Act)

All ingredients are listed.

· California Proposition 65 - Chemicals known to cause cancer

569-61-9 basic fuchsin

(Contd. on page 10)



Date Prepared: 05/10/2016 Reviewed On: 04/22/2016

Product Name: TB Quick Stain, Carbol Fuchsin

(Contd. of page 9)

· California Proposition 65 - Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

- · California Proposition 65 Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed.
- · California Proposition 65 Chemicals known to cause developmental toxicity: 64-17-5 ethanol
- · Carcinogenic categories

· TLV (Threshold Limit Value established by ACGIH)				
64-17-5	ethanol	A4		
108-95-2	phenol	A4		

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms







GHS02 GHS05 GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

phenol

basic fuchsin

· Hazard statements

H226 Flammable liquid and vapor.

H314 Causes severe skin burns and eye damage.

H341 Suspected of causing genetic defects.

H350 May cause cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P260 Do not breathe dusts or mists.

P280 Wear protective gloves / eye protection / face protection.

P240 Ground/bond container and receiving equipment.

P233 Keep container tightly closed. P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P264 Wash thoroughly after handling.

P201 Obtain special instructions before use.

(Contd. on page 11)



Date Prepared: 05/10/2016 Reviewed On: 04/22/2016

Product Name: TB Quick Stain, Carbol Fuchsin

(Contd. of page 10)

P202 Do not handle until all safety precautions have been read and understood.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

P363 Wash contaminated clothing before reuse.

P308+P313 IF exposed or concerned: Get medical advice/attention. P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting. P314 Get medical advice/attention if you feel unwell.

P370+P378 In case of fire: Use for extinction: CO2, powder or water spray.

P405 Store locked up.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

To the best of our knowledge, the information contained herein is accurate. However, neither Becton, Dickinson and Company or any of its subsidiaries assumes any liabilities whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we can not guarantee that these are the only hazards that exist.

· Department issuing SDS:

Environmental, Health & Safety Created by Michael J. Spinazzola

- · Contact: Technical Service Representative
- · Date of preparation / last revision 05/10/2016 / -
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

OSHA: Occupational Safety & Health

(Contd. on page 12)



Date Prepared: 05/10/2016 Reviewed On: 04/22/2016

Product Name: TB Quick Stain, Carbol Fuchsin

(Contd. of page 11)

TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement

concerning the International Carriage of Dangerous Goods by Road)

BEI: Biological Exposure Limit

Flam. Liq. 2: Flammable liquids – Category 2
Flam. Liq. 3: Flammable liquids – Category 3
Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 3: Acute toxicity – Category 3
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Muta. 2: Germ cell mutagenicity – Category 2 Carc. 1B: Carcinogenicity – Category 1B

STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2

US