

SAFETY DATA SHEET

Creation Date 22-Sep-2009	Revision Date 22-May-2017	Revision Number 3
	1. Identification	
Product Name	tert-Butylbenzene	
Cat No. :	AC107870000; AC107870010; AC107870025 AC107875000	; AC107870250;
Synonyms	(1,1-Dimethylethyl)benzene; 2-Methyl-2-phenylpropane	
Recommended Use Uses advised against	Laboratory chemicals. Not for food, drug, pesticide or biocidal product use	
Details of the supplier of the sat	fety data sheet	
<u>Company</u> Fisher Scientific One Reagent Lane	Acros Organics One Reagent Lane	

Emergency Telephone Number

Fair Lawn, NJ 07410 Tel: (201) 796-7100

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Fair Lawn, NJ 07410

F	lammable liquids
S	Skin Corrosion/irritation
S	Serious Eye Damage/Eye Irritation

Category 3 Category 2 Category 2

Label Elements

Signal Word Warning

Hazard Statements Flammable liquid and vapor Causes skin irritation Causes eye irritation



Precautionary Statements

Prevention Keep away from heat/sparks/open flames/hot surfaces. - No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof electrical/ventilating/lighting/equipment Use only non-sparking tools Take precautionary measures against static discharge Wear protective gloves/protective clothing/eye protection/face protection Wash face, hands and any exposed skin thoroughly after handling Skin Take off contaminated clothing and wash before reuse IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Eves IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention Fire Fight fire with normal precautions from a reasonable distance Evacuate area Storage Store in a well-ventilated place. Keep cool Disposal Dispose of contents/container to an approved waste disposal plant Hazards not otherwise classified (HNOC) None identified

3. Composition / information on ingredients

Component	CAS-No	Weight %
tert-Butylbenzene	98-06-6	99

4. First-aid measures			
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention.		
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Obtain medical attention.		
Inhalation	Move to fresh air. Obtain medical attention. If not breathing, give artificial respiration.		
Ingestion	Do not induce vomiting. Obtain medical attention.		
Most important symptoms/effects	Breathing difficulties. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting		
Notes to Physician	Treat symptomatically		
5. Fire-fighting measures			
Suitable Extinguishing Media	Carbon dioxide (CO 2). Dry chemical. Use water spray to cool unopened containers. Chemical foam. Cool closed containers exposed to fire with water spray.		
Unsuitable Extinguishing Media	No information available		
Flash Point	44 °C / 111.2 °F		

Autoignition Temperature	512 °C / 953.6 °F
Explosion Limits Upper	5.7%
Lower	0.7%
Sensitivity to Mechanical Impact	No information available
Sensitivity to Static Discharge	No information available

Specific Hazards Arising from the Chemical

Flammable. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Vapors may form explosive mixtures with air.

Hazardous Combustion Products

Carbon monoxide (CO) Carbon dioxide (CO₂)

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA Health 2	Flammability 2	Instability 0	Physical hazards N/A
	6. Accidental re	lease measures	
Personal Precautions Environmental Precautions	Remove all sources of igni See Section 12 for additior	tion. Take precautionary measu nal ecological information.	res against static discharges.
Methods for Containment and Cle Up	Clean Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Take precautionary measures against static discharges.		
	7. Handling	and storage	
Handling	measures against static dis	scharges. Use explosion-proof e	r spray mist. Take precautionary equipment. Use only non-sparking m open flames, hot surfaces and
Storage	Keep in a dry, cool and we from heat and sources of i	II-ventilated place. Keep contain gnition. Flammables area.	er tightly closed. Keep away
8.	Exposure controls	/ personal protectic	n
Exposure Guidelines		ain any hazardous materials wit jion specific regulatory bodies.	h occupational exposure
Engineering Measures		n, especially in confined areas. se to the workstation location. L g/equipment.	
Personal Protective Equipment			
Eye/face Protection		e eyeglasses or chemical safety ection regulations in 29 CFR 191	
Skin and body protection	Wear appropriate protectiv	e gloves and clothing to prevent	t skin exposure.

Respiratory Protection

No protective equipment is needed under normal use conditions.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical State	Liquid
Appearance	Clear
Odor	aromatic
Odor Threshold	No information available
рН	No information available
Melting Point/Range	-58 °C / -72.4 °F
Boiling Point/Range	169 °C / 336.2 °F @ 760 mmHg
Flash Point	44 °C / 111.2 °F
Evaporation Rate	No information available
Flammability (solid,gas)	Not applicable
Flammability or explosive limits	
Upper	5.7%
Lower	0.7%
Vapor Pressure	1.33 hPa @ 13 °C
Vapor Density	4.6
Specific Gravity	0.860
Solubility	No information available
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	512 °C / 953.6 °F
Decomposition Temperature	No information available
Viscosity	1.15 mPa s at 20 °C
Molecular Formula	C10 H14
Molecular Weight	134.22

10. Stability and reactivity

Reactive Hazard	None known, based on information available	
Stability	Stable under normal conditions.	
Conditions to Avoid	Keep away from open flames, hot surfaces and sources of ignition. Incompatible products.	
Incompatible Materials	Strong oxidizing agents	
Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2)		
Hazardous Polymerization	Hazardous polymerization does not occur.	
Hazardous Reactions	None under normal processing.	

11. Toxicological information

Acute Toxicity

Product Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
tert-Butylbenzene	LD50 = 3503 mg/kg (Rat)	Not listed	Not listed
	LD50 = 3045 mg/kg (Rat)		
Foxicologically Synergistic	No information available		
Products			
Delayed and immediate effects	as well as chronic effects from	n short and long-term exposure	<u>,</u>

tert-Butylbenzene					Revision I	Date 22-May-2017
Irritation		Irritating to eyes and skin				
Sensitization		No information ava	ilable			
Carcinogenicity		The table below inc	dicates whether e	ach agency has lis	ted any ingredient	as a carcinogen.
Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
tert-Butylbenzene	98-06-6	Not listed	Not listed	Not listed	Not listed	Not listed
Mutagenic Effects		No information ava	ilable	•	•	
Reproductive Effect	S	No information ava	ilable.			
Developmental Effe	cts	No information ava	ilable.			
Teratogenicity		No information ava	ilable.			
STOT - single expos STOT - repeated exp		None known None known				
Aspiration hazard		No information ava	ilable			
Symptoms / effects delayed	,both acute and	Symptoms of overe	exposure may be	headache, dizzines	ss, tiredness, naus	ea and vomiting
Endocrine Disrupto	r Information	No information ava	ilable			
Other Adverse Effects		The toxicological properties have not been fully investigated.				
		12. Ecolo	ogical infor	mation		
Ecotoxicity						
Persistence and Deg	gradability	Insoluble in water I	May persist based	d on information av	ailable.	
Bioaccumulation/ A	ccumulation	No information ava	ilable.			
Mobility		No information available.				
[Component				log Pow	
	tert-Butylbenze				4.11	

13. Disposal considerations

 Waste Disposal Methods
 Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT	
UN-No	UN2709
Proper Shipping Name	BUTYL BENZENES
Hazard Class	3
Packing Group	III
TDG	
UN-No	UN2709
Proper Shipping Name	BUTYLBENZENES
Hazard Class	3
Packing Group	III
IATA	
UN-No	UN2709

Proper Shipping Name	BUTYLBENZENES
Hazard Class	3
Packing Group	111
IMDG/IMO	
UN-No	UN2709
Proper Shipping Name	BUTYLBENZENES
Hazard Class	3
Packing Group	111

15. Regulatory information

International Inventories

tert-Butylbenzene X X - 202-632-4 - X X X X -	Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
	tert-Butylbenzene	Х	Х	-	202-632-4	-		Х	Х	Х	Х	-

Legend: X - Listed

E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.

F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.

N - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.

P - Indicates a commenced PMN substance

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

S - Indicates a substance that is identified in a proposed or final Significant New Use Rule

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

TSCA 12(b)	Not applicable
SARA 313	Not applicable

SARA 311/312 Hazard Categ Acute Health Hazard Chronic Health Hazard Fire Hazard Sudden Release of Pres Reactive Hazard	-	Yes No Yes No No
CWA (Clean Water Act)	Not applicable	

Clean Air Act Not applicable

OSHA Occupational Safety and Health Administration Not applicable

CERCLA Not applicable

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
tert-Butylbenzene	Х	Х	Х	-	-

U.S. Department of Transportation

Reportable Quantity (RQ):	Ν
DOT Marine Pollutant	Ν
DOT Severe Marine Pollutant	Ν

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

No information available

	16. Other information
Prepared By	Regulatory Affairs
	Thermo Fisher Scientific
	Email: EMSDS.RA@thermofisher.com
Creation Date	22-Sep-2009
Revision Date	22-May-2017
Print Date	22-May-2017
Revision Summary	This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS