

# SAFETY DATA SHEET

Revision Date 24-Dec-2021

Revision Number 5

 1. Identification

 Product Name
 Methyl Benzoate (Reagent)

 Cat No. :
 M205-500

 Synonyms
 Oil of niobe.; Benzoic acid, methyl ester

 Recommended Use
 Laboratory chemicals.

 Uses advised against
 Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

**Emergency Telephone Number** 

CHEMTREC®, Inside the USA: 800-424-9300 CHEMTREC®, Outside the USA: 001-703-527-3887

2. Hazard(s) identification

## **Classification**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids Acute oral toxicity Category 4 Category 4

## Label Elements

Signal Word Warning

Hazard Statements Combustible liquid Harmful if swallowed



### Precautionary Statements Prevention

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Keep away from heat/sparks/open flames/hot surfaces. - No smoking Wear protective gloves/protective clothing/eye protection/face protection **Ingestion** IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth **Fire** In case of fire: Use CO2, dry chemical, or foam for extinction **Storage** Store in a well-ventilated place. Keep cool **Disposal** Dispose of contents/container to an approved waste disposal plant **Hazards not otherwise classified (HNOC)** 

None identified

# 3. Composition/Information on Ingredients

Component		CAS No	Weight %
Methylbenzoate		93-58-3	> 98
	4.	First-aid measures	
General Advice	If symptoms	persist, call a physician.	
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.		
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.		
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.		
Ingestion	Clean mouth with water and drink afterwards plenty of water.		
Most important symptoms and effects Notes to Physician	Difficulty in breathing. Symptoms of overexposure may be headache, dizziness, tiredness nausea and vomiting Treat symptomatically		
	5. Fi	re-fighting measures	

Suitable Extinguishing Media	Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers.
Unsuitable Extinguishing Media	No information available

Flash Point	82.8 °C / 181 °F
Method -	No information available
Autoignition Temperature Explosion Limits	No information available
Upper	20.00 vol %
Lower	8.60 vol %
Sensitivity to Mechanical Impact	
Sensitivity to Static Discharge	No information available

# **Specific Hazards Arising from the Chemical**

Combustible material. Containers may explode when heated. Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

### **Hazardous Combustion Products**

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

## **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

<u>NFPA</u>	Health 2	Flammability 2	Instability 0	Physical hazards N/A	
		6. Accidental rele	ease measures		
Personal F	Precautions		ipment as required. Ensure ac ecautionary measures against	dequate ventilation. Remove all static discharges.	
Environme	ental Precautions		the environment. See Section		
Methods fe Up	or Containment and C	<b>Clean</b> Soak up with inert absorben Remove all sources of ignition		osed containers for disposal.	
		7. Handling a	ind storage		
Handling		Wear personal protective ec adequate ventilation. Do not flames, hot surfaces and so	t get in eyes, on skin, or on clo	d ingestion and inhalation. Ensure othing. Keep away from open	
Storage.			Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Incompatible Materials. Strong oxidizing agents. Strong bases.		
	8.	Exposure controls /			
Exposure	<u>Guidelines</u>		in any hazardous materials wi on specific regulatory bodies.	th occupational exposure	
Engineerir	ng Measures	Ensure adequate ventilation, especially in confined areas. Ensure that eyewash station and safety showers are close to the workstation location.			
Personal F	Protective Equipment				
Eye/fac	ce Protection		eyeglasses or chemical safet ction regulations in 29 CFR 19	y goggles as described by 10.133 or European Standard	

Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

# 9. Physical and chemical properties

	<b>J</b>
Physical State	Liquid
Appearance	Light yellow
Odor	sweet
Odor Threshold	No information available
рН	No information available
Melting Point/Range	-12.2 °C / 10 °F
Boiling Point/Range	150 °C / 302 °F
Flash Point	82.8 °C / 181 °F
Evaporation Rate	No information available
Flammability (solid,gas)	Not applicable
Flammability or explosive limits	
Upper	20.00 vol %
Lower	8.60 vol %
Vapor Pressure	.28 mmHg @ 20 °C
Vapor Density	4.7 (Air = 1.0)
Specific Gravity	1.1 (H2O=1)
Solubility	Insoluble in water
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	No information available
Decomposition Temperature	No information available
Viscosity	No information available
Molecular Formula	C8H8O2
Molecular Weight	136.0548

# 10. Stability and reactivity

Reactive Hazard	None known, based on information available		
Stability	Stable under normal conditions.		
Conditions to Avoid	Incompatible products. Keep away from open flames, hot surfaces and sources of ignition.		
Incompatible Materials	Strong oxidizing agents, Strong bases		
Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2)			
Hazardous Polymerization	No information available.		
Hazardous Reactions	None under normal processing.		

11. Toxicological information

# Acute Toxicity

# **Product Information**

Cor	nponent Information			
	Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
	Methylbenzoate	2000 mg/kg (Rat)	>2000 mg/kg (Rat)	LC50 > 5.57 mg/L (Rat)8 h
	icologically Synergistic ducts	No information available		

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation	No information available
Sensitization	No information available
Carcinogenicity	The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Methylbenzoate	93-58-3	Not listed	Not listed	Not listed	Not listed	Not listed
Mutagenic Effects		No information available				
Reproductive Effects		No information available.				
Developmental Effe	cts	No information available.				
Teratogenicity		No information available.				
STOT - single expos STOT - repeated exp		None known None known				
Aspiration hazard		No information available				
Symptoms / effects delayed	,both acute and	<b>d</b> Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting			ea and vomiting	
Endocrine Disruptor Information No information available						
Other Adverse Effects         The toxicological properties have not been fully investigated.						

# 12. Ecological information

Ecotoxicity Do not empty into drains. .

Component	Freebwater Algee	Freshwater Fish	Microtox	Water Flea
Component Methylbenzoate	Freshwater Algae Not listed	LC50: = 23 mg/L, 96h semi-static (Danio rerio)	Not listed	Not listed
Persistence and Degradab	oility Persistence	is unlikely		
Bioaccumulation/ Accumulation No information		tion available.		
Mobility	Is not likely	mobile in the environment	due its low water solubility.	
(	Component		log Pow	
Me	ethylbenzoate		2.1	
	12 0	lichacal appoida	rationa	
		isposal conside		
hazardous waste. Chemic		waste. Chemical waste ge	ermine whether a discarded e enerators must also consult l to ensure complete and acc	ocal, regional, and
	14.	Transport inforn	nation	
DOT	According t		LATED FOR TRANSPORT this material should reclassif ed in bulk.	
UN-NoNA1993Proper Shipping NameCombustible liquid, n.o.s.				

Packing Group	111
TDG	Not regulated
ΙΑΤΑ	Not regulated
IMDG/IMO	Not regulated
	15 Doc

# 15. Regulatory information

## United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Methylbenzoate	Methylbenzoate 93-58-3		ACTIVE	-

### Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710) X - Listed '-' - Not Listed

Not applicable TSCA 12(b) - Notices of Export

International Inventories Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Methylbenzoate	93-58-3	Х	-	202-259-7	Х	Х	Х	Х	Х	KE-23483

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

## U.S. Federal Regulations

SARA 313	Not applicable
SARA 311/312 Hazard Categories	See section 2 for more information
CWA (Clean Water Act)	Not applicable
Clean Air Act	Not applicable
<b>OSHA</b> - Occupational Safety and Health Administration	Not applicable
CERCLA	Not applicable
California Proposition 65	This product does not contain any Proposition 65 chemicals.

### U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island	
Methylbenzoate	-	Х	-	-	-	

## **U.S. Department of Transportation**

Reportable Quantity (RQ):	Ν
DOT Marine Pollutant	Ν
DOT Severe Marine Pollutant	Ν
U.S. Department of Homeland	This product does not contain any [

```
This product does not contain any DHS chemicals.
U.S. Department of Homeland
Security
```

### Other International Regulations

Mexico - Grade Moderate risk, Grade 2

Authorisation/Restrictions according to EU REACH

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Methylbenzoate	93-58-3	Listed	Not applicable	Not applicable	Not applicable
Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Methylbenzoate	93-58-3	Not applicable	Not applicable	licable Not applicable Not applicable	

16. Other information					
Prepared By	Regulatory Affairs				
	Thermo Fisher Scientific				
	Email: EMSDS.RA@thermofisher.com				
Revision Date	24-Dec-2021				
Print Date	24-Dec-2021				
Revision Summary	This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).				

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of SDS**