

| Version 1.0 | Revision Date 08/25/2017 | Print Date 11/10/2017 |
|--|--|-----------------------|
| SECTION 1. IDENTIFICATION | | |
| Product name | : Buffer AL | |
| Manufacturer or supplier's | details | |
| Company | : QIAGEN GmbH QIAGEN Str. 1 D-40724 Hilden | |
| Telephone | : +49-02103-29-0 | |
| Responsible Department | : QIAGEN Inc. 19300 Germantown Road Germantown, MD 20874, USA Tel.: 800-426-8157 http://support.qiagen.com | |
| E-mail addressResponsible/issuing person | : cpc@qiagen.com | |
| Emergency telephone | : CHEMTREC USA & Canada 1-800-424-9300 | |
| Recommended use of the o | chemical and restrictions on use | |
| Recommended use | : Laboratory chemicals | |

SECTION 2. HAZARDS IDENTIFICATION

| GHS Classification | |
|--------------------------|--|
| Skin irritation | : Category 2 |
| Eye irritation | : Category 2A |
| Skin sensitization | : Category 1 |
| GHS Label element | |
| Hazard pictograms | |
| | |
| | • |
| Signal Word | : Warning |
| Hazard Statements | : H315 Causes skin irritation. |
| | H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. |
| Precautionary Statements | : Prevention: |
| | |

| Buffer AL | | QUACEI |
|-------------------------------------|--|---------------------------------|
| Version 1.0 | Revision Date 08/25/2017 | Print Date 11/10/2017 |
| | P280 Wear protective gloves/ prote face protection. | ctive clothing/ eye protection/ |
| Other hazards None known. | | |

Substance / Mixture : Mixture

Substance name : Buffer AL-T/M

Hazardous ingredients

| Chemical Name | CAS-No. | Concentration (% w/w) |
|-------------------------|----------|-----------------------|
| guanidine hydrochloride | 50-01-1 | >= 30 - < 50 |
| maleic acid | 110-16-7 | >= 0.1 - < 1 |

SECTION 4. FIRST AID MEASURES

| General advice | : | Move out of dangerous area. Show this material safety data sheet to the doctor in attendance. |
|---|---|--|
| lf inhaled | : | If unconscious place in recovery position and seek medical advice. If symptoms persist, call a physician. |
| In case of skin contact | : | Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If symptoms persist, call a physician. |
| In case of eye contact | : | Immediately flush eye(s) with plenty of water. Remove contact lenses. Protect unharmed eye. Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. |
| If swallowed | : | If accidentally swallowed obtain immediate medical attention. Rinse mouth with water. Never give anything by mouth to an unconscious person. |
| Most important symptoms and effects, both acute and delayed | : | Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. No information available. |
| Notes to physician | : | No information available. |

SECTION 5. FIRE-FIGHTING MEASURES

| Suitable extinguishing media | : | Use water spray, alcohol-resistant foam, dry chemical or |
|------------------------------|---|--|
| | | carbon dioxide. |



| Version 1.0 | Revision Date 08/25/2017 | Print Date 11/10/2017 |
|--|--|-------------------------------|
| | | |
| Specific hazards during fire fighting | : Exposure to decomposition proc health. | lucts may be a hazard to |
| Hazardous combustion products | : Carbon oxides Nitrogen oxides (NOx) | |
| Specific extinguishing methods | : In the event of fire and/or explos | sion do not breathe fumes. |
| Special protective equipment for fire-fighters | : Wear self-contained breathing a necessary. | apparatus for firefighting if |
| | | |

SECTION 6. ACCIDENTAL RELEASE MEASURES

| Personal precautions, protective equipment and emergency procedures | : | Use personal protective equipment. Ensure adequate ventilation. Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. |
|---|---|---|
| Environmental precautions | : | Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. |
| Methods and materials for containment and cleaning up | : | Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. |

SECTION 7. HANDLING AND STORAGE

| Advice on protection against fire and explosion | : Normal measures for preventive fire protection. |
|---|---|
| Advice on safe handling | Do not breathe vapors/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations. Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. |
| Conditions for safe storage | : Keep container tightly closed in a dry and well-ventilated place. |

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.



Version 1.0

Revision Date 08/25/2017

Print Date 11/10/2017

| Hazardous compone | ents without workplace co | ontrol parameters |
|-------------------|---------------------------|-------------------|
| | | |

| Ingredients | CAS-No. |
|------------------------------|--|
| guanidine hydrochloride | 50-01-1 |
| maleic acid | 110-16-7 |
| Personal protective equipmen | t |
| Respiratory protection | In the case of vapor formation use a respirator with an approved filter. |
| Hand protection Material | Protective gloves |
| Remarks | The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). |
| Eye protection | Safety glasses Wear face-shield and protective suit for abnormal processing problems. Ensure that eyewash stations and safety showers are close to the workstation location. |
| Skin and body protection | Choose body protection according to the amount and concentration of the dangerous substance at the work place. Footwear protecting against chemicals |
| Hygiene measures | Keep away from food and drink. Wash hands before breaks and at the end of workday. Ensure adequate ventilation, especially in confined areas. Keep working clothes separately. Avoid contact with the skin and the eyes. When using do not eat, drink or smoke. |

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

| Appearance | : | liquid |
|-----------------------------|---|-------------------|
| Color | : | No data available |
| Odor | : | characteristic |
| Odor Threshold | : | No data available |
| рН | : | 6 |
| Melting point/range | : | No data available |
| Boiling point/boiling range | : | No data available |
| Flash point | : | No data available |

Buffer AL



| Duller AL | | |
|--|--------------------------|-----------------------|
| Version 1.0 | Revision Date 08/25/2017 | Print Date 11/10/2017 |
| Evaporation rate | : No data available | |
| Burning rate | : No data available | |
| Upper explosion limit | : No data available | |
| Lower explosion limit | : No data available | |
| Vapor pressure | : No data available | |
| Relative vapor density | : No data available | |
| Relative density | : No data available | |
| Density | : 1.16 g/cm3 | |
| Solubility(ies) Water solubility | : No data available | |
| Solubility in other solvents | : No data available | |
| Partition coefficient: n- octanol/water | : No data available | |
| Autoignition temperature | : not determined | |
| Decomposition temperature | : No data available | |
| Viscosity Viscosity, dynamic | : No data available | |
| Viscosity, kinematic | : No data available | |
| Explosive properties | : No data available | |
| Oxidizing properties | : No data available | |

SECTION 10. STABILITY AND REACTIVITY

| Reactivity | : No decomposition if stored and applied as directed. |
|------------------------------------|--|
| Chemical stability | : No decomposition if stored and applied as directed. |
| Possibility of hazardous reactions | Stable under recommended storage conditions. Hazardous decomposition products formed under fire conditions. Keep away from oxidizing agents, and acidic or alkaline products. |
| Conditions to avoid | : No data available |
| Incompatible materials | : No data available |
| Hazardous decomposition products | : No decomposition if stored and applied as directed. |

Version 1.0

Revision Date 08/25/2017

Print Date 11/10/2017

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity Not classified based on available information. Product: Acute oral toxicity : No data available Acute toxicity estimate: 2,434 mg/kg Method: Calculation method Acute inhalation toxicity : No data available Acute toxicity estimate: 23.9 mg/l Exposure time: 4 h Test atmosphere: vapor Method: Calculation method Acute dermal toxicity : No data available Ingredients: guanidine hydrochloride: Acute oral toxicity : LD50 Oral (Rat): 1,120 mg/kg maleic acid: : LD50 Oral (Rat): 708 mg/kg Acute oral toxicity Acute inhalation toxicity (Rat): 0.72 mg/l : Exposure time: 1 h Acute dermal toxicity : LD50 Dermal (Rabbit): 1,560 mg/kg Skin corrosion/irritation Causes skin irritation. Product: Remarks: May cause skin irritation and/or dermatitis. Ingredients: maleic acid: Species: Rabbit Exposure time: 24 h Result: Mild skin irritation Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Remarks: May cause irreversible eye damage.

Ingredients:

maleic acid:

Buffer AL

Version 1.0

Revision Date 08/25/2017

Print Date 11/10/2017

Species: Rabbit Result: Eye irritation

Respiratory or skin sensitization

Skin sensitization: May cause an allergic skin reaction. Respiratory sensitization: Not classified based on available information.

Product:

Remarks: Causes sensitization.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

| Not classified based | on available information. |
|----------------------|--|
| IARC | No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. |
| OSHA | No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. |
| NTP | No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. |

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

Ingredients:

maleic acid: Routes of exposure: Inhalation Assessment: May cause respiratory irritation.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish

No data available

Buffer AL



| rsion 1.0 Toxicity to algae Toxicity to bacteria | : | Revision Date 08/25/2017 | Print Date 11/10/2017 |
|--|-----|---|---------------------------|
| Toxicity to bacteria | : | | |
| la ave di e uter | : | No data available No data available | |
| Ingredients: | | | |
| maleic acid: Toxicity to fish | : | LC50 (Pimephales promelas (fathe Exposure time: 96 h | ead minnow)): 5 mg/l |
| | | LC0 (Lepomis macrochirus (Blueg Exposure time: 96 h | ill sunfish)): 300 mg/l |
| Toxicity to daphnia and other aquatic invertebrates | : | EC100 (Daphnia magna (Water fle Exposure time: 48 h | ea)): 160 mg/l |
| | | EC50 (Daphnia magna (Water flea Exposure time: 48 h | ı)): 160 mg/l |
| | | EC100 (Daphnia magna (Water fle Exposure time: 24 h | ea)): 200 mg/l |
| Toxicity to algae | : | EC50 (Desmodesmus subspicatus Exposure time: 72 h | s (green algae)): 41 mg/l |
| Persistence and degradabil | ity | | |
| Ingredients: guanidine hydrochloride: Biodegradability | : | Method: OECD Test Guideline 30 Remarks: According to the results of tests of product is not readily biodegradabl | biodegradability this |
| Bioaccumulative potential | | | |
| Product: Bioaccumulation | : | No data available | |
| Ingredients: guanidine hydrochloride: Partition coefficient: n- octanol/water | : | log Pow: ca1.7 (20 °C) | |
| Mobility in soil No data available | | | |
| Other adverse effects | | | |
| <u>Product:</u> Ozone-Depletion Potential | : | Regulation: 40 CFR Protection of Protection of Stratospheric Ozone Substances Remarks: This product neither cor | - CAA Section 602 Class I |

_

| | | | ă |
|---|---|----|-----|
| - | | | N ® |
| Q | A | ΞE | N® |

| Buffer AL | | |
|-----------------------------------|---|-----------------------|
| Version 1.0 | Revision Date 08/25/2017 | Print Date 11/10/2017 |
| | manufactured with a Class I or Cla U.S. Clean Air Act Section 602 (40 B). | |
| Additional ecological information | : No data available | |

SECTION 13. DISPOSAL CONSIDERATIONS

| Disposal methods | |
|------------------------|---|
| Waste from residues | : Send to a licensed waste management company. Dispose of as hazardous waste in compliance with local and national regulations. |
| Contaminated packaging | : Dispose of as unused product. Do not re-use empty containers. |

SECTION 14. TRANSPORT INFORMATION

UNRTDG

Not regulated as a dangerous good

IATA-DGR Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No data available

Domestic regulation

49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

| SARA 311/312 Hazards | : Acute Health Hazard |
|----------------------|---|
| SARA 302 | : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302. |

| Buffer | AL |
|---------------|----|
|---------------|----|



| Version 1.0 | Revision Date 08/25/2017 | Print Date 11/10/2017 |
|----------------------|---|-----------------------|
| SARA 313 | : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313. | |
| US State Regulations | | |
| California Prop. 65 | This product does not contain any State of California to cause cance reproductive defects. | |
| TSCA list | | |

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

(Q)SAR - (Quantitative) Structure Activity Relationship: ASTM - American Society for the Testing of Materials; bw - Body weight; DIN - Standard of the German Institute for Standardisation; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization: LC50 - Lethal Concentration to 50 % of a test population: LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative; DSL - Domestic Substances List (Canada); KECI - Korea Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); AICS - Australian Inventory of Chemical Substances; IECSC - Inventory of Existing Chemical Substances in China; ENCS - Existing and New Chemical Substances (Japan); ISHL - Industrial Safety and Health Law (Japan); PICCS - Philippines Inventory of Chemicals and Chemical Substances; NZIoC - New Zeal and Inventory of Chemicals; TCSI - Taiwan Chemical Substance Inventory; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; DOT - Department of Transportation; EHS -Extremely Hazardous Substance; HMIS - Hazardous Materials Identification System; MSHA -Mine Safety and Health Administration; NFPA - National Fire Protection Association; RCRA -Resource Conservation and Recovery Act; RQ - Reportable Quantity; SARA - Superfund Amendments and Reauthorization Act: CMR - Carcinogen, Mutagen or Reproductive Toxicant: GLP - Good Laboratory Practice; ERG - Emergency Response Guide; NTP - National Toxicology Program; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods

Revision Date

: 08/25/2017



Buffer AL

Version 1.0

Revision Date 08/25/2017

Print Date 11/10/2017

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.