

SECTION 1: PROD	DUCT AND COMPAN	NY IDENTIFICATION			
Product Name		Neo Megilp	Manufacturer	Gamblin Artists Colors	
Recommended	l Use	Mixing agent for artists' oil colors	Address	323 SE Division Pl	
<b>Restrictions or</b>	n Use	Keep out of reach of children		Portland, OR 97202	
Emergency Contact / Number		Urgent Care / Emergency Room	Telephone	(503) 235-1945	
SECTION 2: HAZA	RD IDENTIFICATIO	N			
Hazards					
Flammable liqui	d	Category 4, Combustible liqu	id	WARNING	
Precautionary S					
Prevention	Keep away from heat, sparks, open flames and hot surfaces. No smoking. Wear protective gloves and clothing, eye and face protection.				
Response	In case of fire: Use dry sand, dry chemical, or alcohol-resistant foam for extinction.				
Disposal	Dispose of cor	ntents and container to an approved wa	iste disposal plant.		
	<b>onent Name</b> eum naphtha	<b>CAS# Comp</b> 64742-48-9	onent Percent 40-60		
SECTION 4: FIRST					
First Aid Treatm	ent				
Eye Contact	Flush thoroughly with water. If irritation persists, get medical attention.				
Skin Contact	In case of skin contact, wash skin thoroughly with soap and water. Remove contaminated clothing and launder before reuse.				
Ingestion	Do not induce vomiting. Give water or milk to victim if conscious; get medical attention.				
nhalation Move victim to fresh air. If respiratory irritation, dizziness, nausea, or unconsciousness occurs, seek immediate me					
assistance. Start resuscitation if victim is overcome and call a physician immediately.					
Most Important	Symptoms / Effe	ects			
Eye	May cause redness or irritation				
Skin	May cause rash, cracking or dryness				
nhalation	May cause dizziness, nausea, headache, and possible central nervous system (cns) depression			m (cns) depression	

Ingestion May cause nausea, gastrointestinal irritation or vomiting

Chronic Exposure Repeated or prolonged skin contact may aggravate existing dermatitis

# Indication of Immediate Medical Attention and Special Treatment, If Necessary

Persistent eye or skin irritation, ingestion, difficulty in breathing, unconsciousness or respiratory distress. Aspirated material may cause chemical pneumonia.

## SECTION 5: FIREFIGHTING MEASURES

### Suitable and Unsuitable Extinguishing Media

Use fire-fighting techniques such as water fog, foam, dry chemical or carbon dioxide (CO<sub>2</sub>). Use a water spray to cool fire-exposed containers, structures and to protect personnel.

#### Specific Hazards Arising from the Chemical

Burning material may produce toxic smoke, fumes and vapors in a fire. Closed containers may rupture or explode when exposed to extreme heat.

# Specific Protective Equipment and Precautions for Fire-Fighters

Do not enter confined fire space without full equipment and a positive pressure NIOSH-approved self-contained breathing apparatus. Closed containers may explode from high heat.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

### Personal Precautions

Isolate release area and keep unnecessary or untrained people away. Avoid skin or eye contact with spilled material. See Section 8 for personal protection gear.

#### **Environmental Precautions**

Contain spill if it can be done with minimal risk. Prevent liquid from entering drains, sewers or waterways. Advise EPA, state or local agencies as required.

#### Methods for Cleaning Up

Do not discharge to the environment. Soak up with absorbent materials. Small spills can be evaporated and absorbent disposed of in trash. Larger spills should be transferred to labeled containers for recovery or safe disposal.

#### SECTION 7: HANDLING AND STORAGE

#### Handling

Avoid contact with eyes or prolonged skin contact. Keep away from food and beverages. Open container slowly to control possible pressure release. Prevent or clean up small spills and leakage to avoid slip hazard. Always observe good personal hygiene such as washing after handling the material and before eating, drinking or smoking. Routinely wash work clothing and protective equipment. Practice good housekeeping.

Empty containers may contain residue and can still be hazardous. Empty containers should be allowed evaporate solvent and then may be disposed in regular trash.

#### Storage

Keep containers closed when not in use. Store in a cool, well-ventilated area. Use original or other childproof, compatible container.

## SECTION 8: EXPOSURE CONTROL AND PERSONAL PROTECTION

#### **Exposure Limits**

Component Name	ACGIH	OSHA
Petroleum naphtha	Not Established	100 ppm (TWA)

Engineering Controls

Use appropriate ventilation to maintain airborne concentration limits below exposure limits.

Protective Equipment

Wear safety glasses; other equipment will vary based on potential exposure conditions.

**Respiratory Protection** 

Maintain good ventilation or air flow. Use a respirator in areas where the exposure is unknown or above OSHA or ACGIH limits. **General Hygiene** 

Wash thoroughly with soap and water after task or shift, when using the restroom or before eating.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance/Physical State	Amber liquid or gel	Flash Point (PMCC)	158 °F
Specific Gravity (Water=1)	0.8-0.9	Upper Flammability Limits	Not Determined
Evaporation Rate (n-butyl acetate = 1)	0.2	Lower Flammability Limits	Not Determined
рН	Not Applicable	Auto-ignition Temperature	446 °F (230 °C)
Solubility in Water	Negligible	Decomposition Temperature	Not Determined
Odor	Characteristic hydrocarbon	Vapor Pressure (kPa@20 °C)	< 0.1
Odor Threshold	Not Determined	Vapor Density (Air-=1)	5
Melting/Freezing Point	Not Determined	Partition Coefficient (n-octanol/water)	Not Determined
Boiling Range	318 – 390 °F (159 – 199 °C)	Viscosity	Not Determined
Initial Boiling Point	318 °F (159 °C)	Temperature	Not Determined
Note: Physical and chemical properties a	re provided for safety, health a	nd environmental considerations and do not	fully represent produ
	specifications. Those should	be requested separately.	

## SECTION 10: STABILITY AND REACTIVITY

Reactivity: Not reactive at normal storage and use conditions Chemical Stability: Stable at normal storage and use conditions Possibility of Hazardous Reactions: Will not occur under normal conditions Conditions to Avoid: Avoid heat, sparks, open flames and other ignition sources Incompatible Materials: Strong oxidizers Hazardous Decomposition Products: Not Applicable

# SECTION 11: TOXICOLOGICAL INFORMATION

Specific toxicity tests have not been conducted on this mixture. In accordance with OSHA's Hazard Communication Standard 1910.1200, this mixture is assumed to have the same health hazards as its significant components.

### Acute Toxicity Effects

Product can cause mild eye or skin irritation depending on length and degree of exposure. Repeated exposure may cause skin dryness or cracking. Inhalation of vapors above recommended levels may cause respiratory system irritation or CNS depression. Ingestion may irritate the mouth, throat and stomach.

### **Chronic Toxicity Effects**

Long term or repeated exposure may aggravate any acute symptoms.

### Carcinogenicity

No components of this product above the declaration level of 0.1% have been identified by IARC, OSHA or NTP as carcinogenic.

# SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity	May cause long term adverse effects in the aquatic environment	Degradability	Expected to be readily biodegradable
Mobility	Highly volatile, will partition rapidly to air; not expected to partition to sediment and waste- water solids.	Bioaccumulation	Not Determined

## SECTION 13: DISPOSAL CONSIDERATIONS

Dispose of in accordance with local, state/province, and federal environmental regulations. Disposal recommendations based on material as supplied. Product is suitable for burning in an enclosed controlled burner for fuel value or disposal by supervised incineration at very high temperatures to prevent formation of undesirable combustion products. Disposal of unused product may be subject to RCRA regulations (40 CFR 261). Disposal of the used product may also be regulated due to ignitability, corrosivity, reactivity or toxicity as determined by Toxicity Characteristics Leaching Procedures (TCLP). Potential RCRA characteristics: IGNITABILITY.

# **SECTION 14: TRANSPORT INFORMATION**

## DOT Information UN1268, Petroleum Distillates, N.O.S., Combustible Liquid, Class 3, PG III

#### SECTION 15: REGULATORY INFORMATION

Inventory Listings	All components are listed on the TSCA inventory
SARA 311/312 Reporting Categories	Flammable, acute, chronic hazard
SARA 313 Reportable Ingredients	None at levels above reporting limits

## **SECTION 16: OTHER INFORMATION**

HMIS 1-2-0 NFPA 1-2-0

Department Issuing SDS Health and Safety

# Disclaimer

The information contained herein is based on the data available to use and is believed to be correct.

However, Gamblin Artists Colors Co. makes no warranty, expressed or implied, regarding the accuracy of these data or the results to be obtained from the use thereof. Gamblin assumes no responsibility for injury from the use of the product described herein.