

# **SAFETY DATA SHEET**

Version 6.9 Revision Date 09/06/2024 Print Date 09/07/2024

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### **1.1** Product identifiers

	Product name	:	Potassium carbonate
	Product Number Brand CAS-No.	:	60109 SIGALD 584-08-7
1.2	Relevant identified use	es	of the substance or mixture and uses advised against
	Identified uses	:	Laboratory chemicals, Synthesis of substances
	Uses advised against	:	The product is being supplied under the TSCA R&D Exemption (40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by MilliporeSigma.
1.3	Details of the supplier	of	the safety data sheet
	•		

# Company : Sigma-Aldrich Inc.

		3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone Fax		+1 314 771-5765 +1 800 325-5052
Emergency telephone	•	
Emergency Phone #	:	800-424-9300 CHEMTREC (USA) +1-703-

# 527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

# **SECTION 2: Hazards identification**

1.4

### 2.1 Classification of the substance or mixture

### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Skin irritation (Category 2), H315 Eye irritation (Category 2A), H319 Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

For the full text of the H-Statements mentioned in this Section, see Section 16. SIGALD - 60109

Page 1 of 10



### 2.2 GHS Label elements, including precautionary statements

Pictogram	
Signal Word	Warning
Hazard Statements H315 H319 H335	Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation.
Precautionary Statements P261 P264 P271 P280 P302 + P352 P304 + P340 + P312 P305 + P351 + P338	Avoid breathing dust. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/ eye protection/ face protection. IF ON SKIN: Wash with plenty of soap and water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332 + P313 P337 + P313 P362 P403 + P233 P405 P501	If skin irritation occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention. Take off contaminated clothing and wash before reuse. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents/ container to an approved waste disposal plant.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

### SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Formula	: CK <sub>2</sub> O <sub>3</sub>
Molecular weight	: 138.21 g/mol
CAS-No.	: 584-08-7
EC-No.	: 209-529-3

Component	Classification	Concentration
Potassium carbonate		
	Skin Irrit. 2; Eye Irrit. 2A; STOT SE 3; H315, H319,	<= 100 %
	H335	

For the full text of the H-Statements mentioned in this Section, see Section 16.

SIGALD - 60109

Page 2 of 10



### SECTION 4: First aid measures

#### 4.1 Description of first-aid measures

#### General advice

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air.

### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed** No data available

### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### 5.2 Special hazards arising from the substance or mixture

Carbon oxides Potassium oxides Not combustible. Ambient fire may liberate hazardous vapours.

### 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

### 5.4 Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SIGALD - 60109

Page 3 of 10



### **SECTION 6: Accidental release measures**

**6.1 Personal precautions, protective equipment and emergency procedures** Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

- **6.2 Environmental precautions** Do not let product enter drains.
- **6.3 Methods and materials for containment and cleaning up** Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.
- **6.4** Reference to other sections For disposal see section 13.

### **SECTION 7: Handling and storage**

- **7.1 Precautions for safe handling** For precautions see section 2.2.
- 7.2 Conditions for safe storage, including any incompatibilities
  - **Storage conditions** Tightly closed. Dry.

Storage class

Storage class (TRGS 510): 13: Non Combustible Solids

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

### SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

### Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

### 8.2 Exposure controls

### Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

### **Personal protective equipment**

### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

SIGALD - 60109

Page 4 of 10



### **Skin protection**

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Full contact Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact

Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

### **Body Protection**

protective clothing

### **Respiratory protection**

Recommended Filter type: Filter type P2

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

### **Control of environmental exposure**

Do not let product enter drains.

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

- a) Appearance Form: crystalline Color: white
- b) Odor odorless
- c) Odor Threshold Not applicable
- d) pH 11.0 13 at 138 g/l at 25 °C (77 °F)
- e) Melting Melting point/ range: 891 °C (1636 °F) point/freezing point

SIGALD - 60109

Page 5 of 10



f)	Initial boiling point and boiling range	(decomposition)
g)	Flash point	()Not applicable
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	The product is not flammable.
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapor pressure	Not applicable
I)	Vapor density	No data available
m)	Density	2.428 g/cm3
	Relative density	No data available
n)	Water solubility	138 g/l at 20 °C (68 °F) - completely soluble
o)	Partition coefficient: n-octanol/water	Not applicable for inorganic substances
p)	Autoignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	none
<u></u>		

#### **9.2 Other safety information** No data available

# SECTION 10: Stability and reactivity

#### **10.1 Reactivity**

No data available

### **10.2** Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

### **10.3** Possibility of hazardous reactions

Violent reactions possible with: Generates dangerous gases or fumes in contact with: acids powdered alkaline earth metals halogen-halogen compounds Risk of explosion with: Halogenated hydrocarbon Calcium SIGALD - 60109

Page 6 of 10



carbon with heat

#### **10.4** Conditions to avoid

Exposure to moisture. no information available

- **10.5 Incompatible materials** no information available
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

### Acute toxicity

LD50 Oral - Rat - male and female - > 2,000 mg/kg (OECD Test Guideline 401) LC50 Inhalation - Rat - male and female - 4.5 h - > 4.96 mg/l - dust/mist

(US-EPA)

Inhalation: Irritating to respiratory system. LD50 Dermal - Rabbit - male and female - > 2,000 mg/kg (US-EPA)

Skin corrosion/irritation

Skin - Rabbit Result: Irritations Remarks: (IUCLID)

### Serious eye damage/eye irritation

Eyes - Rabbit Result: Eye irritation (Draize Test)

### **Respiratory or skin sensitization**

Buehler Test - Guinea pig Result: negative (US-EPA)

### Germ cell mutagenicity

Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: Mutagenicity (mammal cell test): chromosome aberration. Test system: Chinese hamster lung cells Metabolic activation: without metabolic activation Method: OECD Test Guideline 473

SIGALD - 60109

Page 7 of 10



#### Result: negative

#### Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

### **Reproductive toxicity**

No data available

#### Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation. - Respiratory system

#### **Specific target organ toxicity - repeated exposure** No data available

**Aspiration hazard** No data available

### **11.2 Additional Information**

Repeated dose toxicity - Rat - male - Oral - 130 Weeks - NOAEL (No observed adverse effect level) - 2,667 mg/kg Remarks: (in analogy to similar products) The value is given in analogy to the following substances: potassium hydrogencarbonate

#### RTECS: TS7750000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

### **SECTION 12: Ecological information**

### 12.1 Toxicity

Toxicity to fish flow-through test LC50 - Oncorhynchus mykiss (rainbow trout) - 68 mg/l - 96 h Remarks: (ECHA)

Toxicity to daphnia	static test EC50 - Daphnia pulex (Water flea) - 200 mg/l - 48 h
and other aquatic	Remarks: (ECHA)
invertebrates	

### 12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

**12.3 Bioaccumulative potential** No data available

SIGALD - 60109

Page 8 of 10



# 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

**12.6 Endocrine disrupting properties** No data available

### 12.7 Other adverse effects

No data available

### SECTION 13: Disposal considerations

### **13.1** Waste treatment methods

#### Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

## SECTION 14: Transport information

### DOT (US)

Not dangerous goods

**IMDG** Not dangerous goods

ΙΑΤΑ

Not dangerous goods

### **Further information**

Not classified as dangerous in the meaning of transport regulations.

### SECTION 15: Regulatory information

### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SIGALD - 60109

Page 9 of 10



### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	Acute Health Hazard
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### **US State Regulations**

### Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

### Maine Chemicals of High Concern

Product does not contain any listed chemicals

### Vermont Chemicals of High Concern

Product does not contain any listed chemicals

### Washington Chemicals of High Concern

Product does not contain any listed chemicals

### The ingredients of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

### **TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

### **SECTION 16: Other information**

### **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com. Version: 6.9 Revision Date: 09/06/2024 Print Date: 09/07/2024

SIGALD - 60109

Page 10 of 10

