



Reviewed on 12	2/05/2013
1 Identification	
Product identifier	
Product name: Bradford Dye Reagent	
Stock number: J61522 Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development	
Details of the supplier of the safety data sheet Manufacturer/Supplier:	
Alfa Aesar Thermo Fisher Scientific Chemicals, Inc.	
30 Bond Street Ward Hill, MA 01835-8099	
Tel: 800-343-0660 Fax: 800-322-4757	
Email: tech@alfa.com www.alfa.com	
Information Department: Health, Safety and Environmental Department Emergency telephone number:	
During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.	
2 Hazard(s) identification	
Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)	
GHS08 Health hazard	
STOT SE 2 H371 May cause damage to organs.	
GHS05 Corrosion	
Skin Corr. 1C H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. Hazards not otherwise classified No information known.	
Label elements GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)	
Hazard pictograms	
GHS05 GHS08	
Signal word Danger	
Hazard-determining components of labeling: Methanol	
Hazard statements H314 Causes severe skin burns and eye damage.	
H371 May cause damage to organs. Precautionary statements	
P260 Do not breathe dust/fume/gas/mist/vapours/spray. P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.	
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P301+P330+P331 IE SWALLOWED: rinse mouth. Do NOT induce vomiting.	
P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.	
WHINIS Classification	
D2B - Toxic material causing other toxic effects E - Corrosive material	
Classification system HMIS ratings (scale 0-4)	
(Hazardou's Materials Identification System)	
HEALTH B Health (acute effects) = 3 FIRE D Flammability = 1 Flammability = 1	
REACTIVITY II       Physical Házard = 1         Other hazards	
Results of PBT and vPvB assessment	
PBT: Not applicable. vPvB: Not applicable.	
3 Composition/information on ingredients	
Chemical characterization: Mixtures Dangerous components:	
7664-38-2 Orthophosphoric acid	10.0%
Skin Corr. 1B, H314     67-56-1 Methanol	5.0%
	1
Additional information None known. Non-Hazardous Ingredients	
6104-58-1 Brilliant Blue G	5.0%
(Contd.	on page 2) USA

Page 2/6 Printing date 11/24/2015 Reviewed on 12/05/2013

	wed 0/1 12/03/2013
Product name: Bradford Dye Reagent	
7732-18-5 Water	(Contd. of page 1) 80.0%
4 First-aid measures	
Description of first aid measures General information Immediately remove any clothing soiled by the product. After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice. After skin contact Immediately wash with water and soap and rinse thoroughly.	
Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment. Information for doctor Most important symptoms and effects, both acute and delayed Causes severe skin burns. Causes serious eye damage. Indication of any immediate medical attention and special treatment needed No further relevant information available.	
5 Fire-fighting measures Extinguishing media Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Carbon monoxide and carbon dioxide Phosphorus oxides Sulfur oxides (SOX) Potassium oxide Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.	
6 Accidental release measures Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources Environmental precautions: Do not allow material to be released to the environment without proper governmental permits. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation. Prevention of secondary hazards: No special measures required. Reference to other sections See Section 7 for information on safe handling See Section 7 for information on personal protection equipment. See Section 13 for disposal information.	
<ul> <li>7 Handling and storage</li> <li>Handling</li> <li>Precautions for safe handling</li> <li>Keep container tightly sealed.</li> <li>Ensure good ventilation at the workplace.</li> <li>Information about protection against explosions and fires: No information known.</li> <li>Conditions for safe storage, including any incompatibilities</li> <li>Storage</li> <li>Requirements to be met by storerooms and receptacles: Refrigerate</li> <li>Information about storage in one common storage facility:</li> <li>Store away from strong bases.</li> <li>Store away from metal powders.</li> <li>Water reacts with many metals to give hydrogen, often violently. Water is also incompatible with many reactive organic and inorganic chemicals.</li> <li>Protect from heat.</li> <li>Further information about storage conditions:</li> <li>Keep container tightly sealed.</li> <li>Refrigerate</li> <li>Specific end use(s) No further relevant information available.</li> </ul>	
8 Exposure controls/personal protection         Additional information about design of technical systems:         Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.         Control parameters         Components with limit values that require monitoring at the workplace:         7664-38-2 Orthophosphoric acid (10.0%)         PEL (USA)       Long-term value: 1 mg/m³         REL (USA)       Short-term value: 3 mg/m³         Long-term value: 3 mg/m³         LONg-term value: 3 mg/m³         EL (Canada)       Short-term value: 3 mg/m³         EL (Canada)       Short-term value: 1 mg/m³	
EV (Canada) Short-term value: 3 mg/m <sup>3</sup> Long-term value: 1 mg/m <sup>3</sup>	(Contd. on page 3) USA —

## Product name: Bradford Dve Reagent

Product name: Bradford Dye Reagent			
			(Contd. of page 2)
67-56-1 Meth			·,,
PEL (USA) REL (USA)	Long-term value: 260 mg/ Short-term value: 325 mg/ Long-term value: 260 mg/ Skin	/m <sup>3</sup> . 250 ppm	
TLV (USA)	Short-term value: 328 mg/ Long-term value: 262 mg/ Skin; BEI	/m³, 250 ppm /m³, 200 ppm	
EL (Canada)	Short-term value: 250 ppr Long-term value: 200 ppn Skin	n 1	
EV (Canada)	Short-term value: 325 mg, Long-term value: 260 mg/ Skin	/m³, 250 ppm /m³, 200 ppm	
	with biological limit value	s:	
67-56-1 Meth	anol (5.0%)		
BEI (USA) 18 M	o mg/L ledium: urine		
Ti	ime: end of shift	round nononcoifia)	
	arameter: Methanol (backg I <b>formation:</b> No data	round, nonspecific)	
Personal pro General prot The usual pre	Exposure controls Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately.		
Wash hands I Do not inhale	before breaks and at the ei dust / smoke / mist.	tning immediately. nd of work.	
Maintain an e <b>Breathing eg</b>	t with the eyes and skin. Irgonomically appropriate w Juipment: Use suitable res	vorking environment. pirator when high concentrations are present.	
Protection of Impervious gl Check protec	loves	e for their proper condition.	
The selection	of sŭitable gloves not only time of glove material (in	depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.	
Eye protection	on:	minutes) Not determined	
Tightly sealed	l goggles		
Fŭll fáce prote Body protec	tion: Protective work clothi	ing.	
9 Physical ar	nd chemical properties		
General Info		emical properties	
Appearance: Form:		Liquid	
Color:		Blue	
Odor: Odor thresho	old:	Not determined Not determined.	
pH-value:		Not determined.	
Change in co Melting po Boiling poi	ondition int/Melting range: int/Boiling range:	Not determined Not determined	
Sublimatio	n temperature / start:	Not determined	
Flammability	r (solid, gaseous) perature:	Not applicable. 455 °C (851 °F)	
<b>D</b> ecompositi	on temperature:	Not determined	
Auto igniting Danger of ex Explosion lir	plosion:	Product is not selfigniting. Not determined.	
Lower: Upper:		Not determined Not determined	
Vanor press	ure:	Not determined	
Density: Relative den	sitv	Not determined Not determined.	
Vapor densit	tv -	Not determined.	
Evaporation Solubility in	Evaporation rate Not determined. Solubility in / Miscibility with		
Water:	Water: Fully miscible Partition coefficient (n-octanol/water): Not determined.		
dynamic: kinematic:		Not determined. Not determined.	
Solvent cont Organic so	lvents:	5.0 %	
Solids con Other inform		5.0 % No further relevant information available.	
10 Stability an			

## 10 Stability and reactivity

Reactivity No information known. Chemical stability Stable under recommended storage conditions. Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions Water reacts violently with alkali metals. Reacts with alkaline earth metals.

(Contd. on page 4)

Product name: Bradford Dye Reagent

			(Contd. of page 3)
	Conditions to Incompatible	avoid No further relevant information available.	incompatible with many reactive organic and inorganic chemicals.
	Bases Metal powders	3	
		ecomposition products:	
		kide and carbon dioxide kides (e.g. P2O5)	
	Potassium oxid	de	
11	Toxicologica	al information	
	Information or Acute toxicity	n toxicological effects /:	
	Harmful if inhal Harmful in con	nled.	
	Harmful if swal	llowed. h skin absorption.	
	Swallowing will	Il lead to a strong corrosive effect on mouth and throat and to the of Toxic Effects of Chemical Substances (RTECS) contains acute	e danger of perforation of esophagus and stomach. e toxicity data for components in this product.
	LD/LC50 value	es that are relevant for classification:	
	Oral LD5	50 1.25 gm/kg (mouse)	
	Inhalative LC5	1.25 gm/kg (rat) 50 25.5 mg/m3 (mouse)	
	67-56-1 Metha	25.5 mg/m3 (rat)	
	Oral LD5	50 14200 mg/kg (rabbit)	
		50/6H 41000 ppm/6H (mouse) o <b>r corrosion:</b> Causes severe skin burns.	
		or corrosion: Causes serious eye damage. : No sensitizing effects known.	
	Germ cell mut Carcinogenici	tagenicity: The Registry of Toxic Effects of Chemical Substance itv:	es (RTECS) contains mutation data for components in this product.
	The Realistry of	of Toxic Effects of Chemical Substances (RTECS) contains tumo on data on carcinogenic properties of this material is available fro	rigenic and/or carcinogenic and/or neoplastic data for components in this product. om the EPA, IARC, NTP, OSHA or ACGIH.
	Reproductive Specific targe	e <b>toxicity:</b> The Registry of Toxic Effects of Chemical Substances at organ system toxicity - repeated exposure: No effects know	(RTECS) contains reproductive data for components in this product. vn.
	Specific targe Aspiration has	et organ system toxicity - single exposure: May cause damag zard: No effects known.	e to organs.
		chronic toxicity: No effects known. xicological information:	
	To the best of a	our knowledge the acute and chronic toxicity of this substance in hows the following dangers according to internally approved calc	s not fully known. culation methods for preparations:
	Harṁful Corrosive		, ,
12	Ecological ir	nformation	
	Toxicity		
	Persistence al	ity: No further relevant information available. Ind degradability No further relevant information available.	
	Mobility in soi	<b>tive potential</b> No further relevant information available. il No further relevant information available.	
	General notes		
	Do not allow ur	naterial to be released to the environment without proper govern ndiluted product or large quantities to reach ground water, water	mental permits. <sup>•</sup> course or sewage system.
	Results of PB	into the environment. T and vPvB assessment	
	PBT: Not appli vPvB: Not app	plicable.	
		e effects No further relevant information available.	
13	Disposal coi Waste treatme	nsiderations	
	Recommenda	ation Consult state, local or national regulations to ensure prope	r disposal.
	Uncleaned pa Recommenda Recommende	ation: Disposal must be made according to official regulations. ed cleansing agent: Water, if necessary with cleansing agents.	
14	Transport in	nformation	
	UN-Number		UN1805
	DOT, IMDG, IA UN proper shi		
	DOT IMDG, IATA		Phosphoric acid solution PHOSPHORIC ACID, SOLUTION
	Transport haz	zard class(es)	
	DOT		
	Class		8 Corrosive substances.
	Label Class		8 8 (C1) Corrosive substances
			(Contd. on page 5)

roduct name: Bradford Dye Reagent	
	(Contd. of page
Label IMDG, IATA	8
A state of the	
Class Label	8 Corrosive substances. 8
Packing group DOT, IMDG, IATA	<i>III</i>
Environmental hazards: Marine pollutant (IMDG):	No
Special precautions for user	Warning: Corrosive substances
EMS Number: Segregation groups	F-A,S-B Acids
Transport in bulk according to Annex II of MARPOL7	73/78 and the IBC Code Not applicable.
Transport/Additional information: DOT	
Marine Pollutant (DOT):	No
UN "Model Regulation":	UN1805, Phosphoric acid solution, 8, III
Safety, health and environmental regulations/legislat GHS label elements The product is classified and labele Hazard pictograms	ed in accordance with 29 CFR 1910 (USHA HCS)
GHS05 GHS08	
Signal word Danger	
Hazard-determining components of labeling: Methanol	
Hazard statements         H314 Causes severe skin burns and eye damage.         H371 May cause damage to organs.         Precautionary statements         P260       Do not breathe dust/fume/gas/mist/va	apours/spray.
P405 Store locked up.	apours/spray. tely all contaminated clothing. Rinse skin with water/shower. ater for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IOT induce vomiting. ordance with local/regional/national/international regulations.
National regulations	rironmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. an Domestic Substances List (DSL).
SARA Section 313 (specific toxic chemical listings)	
7664-38-2 Orthophosphoric acid 67-56-1 Methanol	
California Proposition 65 Prop 65 - Chemicals known to cause cancer	
None of the ingredients are listed.	
Prop 65 - Developmental toxicity	
67-56-1 Methanol Prop 65 - Developmental toxicity, female	5
None of the ingredients are listed.	
Prop 65 - Developmental toxicity, male None of the ingredients are listed.	
Information about limitation of use: For use only by technically gualified individuals.	section 313 of the Emergency Planning and Community Right to Know Act of 1986 and 40CFR372. <b>tions</b>
Other regulations, limitations and prohibitive regulat Substance of Very High Concern (SVHC) according t	
None of the ingredients are listed.	
market and use must be observed. None of the ingredients is listed.	7 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on
Annex XIV of the REACH Regulations (requiring Auth	horisation for use)
None of the ingredients is listed. Chemical safety assessment: A Chemical Safety Asse	essment has not been carried out.
<b>Other information</b> Employers should use this information only as a supplen information to ensure proper use and protect the health a conformance with this Material Safety Data Sheet, or in o	ment to other information gathered by them, and should make independent judgement of suitability of this and safety of employees. This information is furnished without warranty, and any use of the product not combination with any other product or process, is the responsibility of the user.
Department issuing SDS: Global Marketing Department Date of preparation / last revision 11/24/2015 / - Abbraviations and accomments	
ICAU: International Civil Aviation Organization ADR: Accord européen sur le transport des marchandises dangereuses pa IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transportation	ar Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
	(Contd. on pa

## Product name: Bradford Dye Reagent

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent LD50: Lethal dose, 50 percent CACGHL: American Conference of Governmental Industrial Hygienists (USA) OSHA: Occupational Safety and Health Administration (USA) MTP: National Toxicology Program (USA) IARC: International Agency for Research on Cancer EPA: Environmental Protection Agency (USA)

(Contd. of page 5)

USA