

Ethyl Acetate Safety Data Sheet (SDS)

SECTION 1 — CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Ethyl Acetate

Flinn Scientific, Inc. P.O. Box 219, Batavia, IL 60510 (800) 452-1261 Chemtrec Emergency Phone Number: (800) 424-9745

SECTION 2 — HAZARDS IDENTIFICATION

Hazard class: Flammable liquids (Category 2). Highly flammable liquid and vapor (H225). Keep away from heat, sparks, open flames, and hot surfaces. No smoking (P210).

Hazard class: Eye irritation (Category 2A). Causes serious eye irritation (H319).

Hazard class: Specific target organ toxicity, single exposure; Narcotic effects (Category 3). May cause drowsiness or dizziness (H336). Avoid breathing mist, vapors or spray (P261).

SECTION 3 - COMPOSITION, INFORMATION ON INGREDIENTS

| Component Name | CAS Number | Formula | Formula Weight | Concentration |
|------------------------------------|------------|--|----------------|---------------|
| Ethyl acetate | 141-78-6 | CH ₃ COOC ₂ H ₅ | 88.11 | |
| Synonyms: Acetic acid, ethyl ester | | | | |

SECTION 4 — FIRST AID MEASURES

Call POISON CENTER or physician if you feel unwell (P312).

If inhaled: Call a POISON CENTER or physician if you feel unwell (P304+P312).

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so. Continue rinsing (P305+P351+P338). **If eye irritation persists eyes:** Get medical advice or attention (P337+P313). **If on skin or hair:** Immediately remove all contaminated clothing. Rinse skin with water (P303+P361+P353). **If swallowed:** Rinse mouth. Call a POISON CENTER or physician if you feel unwell.

SECTION 5 — FIRE FIGHTING MEASURES

| Class 1B flammable liquid. | NFPA Code |
|---|-----------|
| Flash point: -4 °C Flammable limits: Lower: 2.0% Upper: 11.5% Autoignition Temperature: | H-1 |
| 426 °C | F-3 |
| When heated to decomposition, may emit toxic fumes. | R-0 |
| In case of fire: Use a tri-class dry chemical fire extinguisher (P370+P378). | |

Signal Word DANGER

Pictograms

SECTION 6 — ACCIDENTAL RELEASE MEASURES

Remove all ignition sources and ventilate area. Contain the spill with sand or absorbent material and deposit in a sealed bag or container. See Sections 8 and 13 for further information.

SECTION 7 — HANDLING AND STORAGE

Flinn Suggested Chemical Storage Pattern: Organic #3. Store with hydrocarbons, oils, esters and aldehydes. Store in a dedicated flammables cabinet. If a flammables cabinet is not available, store in Flinn Saf-StorTM can. Moisture sensitive material. Keep container tightly closed (P233). Keep cool (P235). Ground or bond container and receiving equipment (P240). Use only in a hood or well-ventilated area (P271).

SECTION 8 — EXPOSURE CONTROLS, PERSONAL PROTECTION

Wear protective gloves, protective clothing, and eye protection (P280). Wash hands thoroughly after handling (P264). Use only in a hood or well-ventilated area (P271).

Exposure guidelines: PEL/TLV 400 ppm (OSHA/ACGIH)

SECTION 9 — PHYSICAL AND CHEMICAL PROPERTIES

| Colorless liquid. Sweet odor. | Boiling point: 77 °C |
|--|--------------------------|
| Odor threshold: 3.9 ppm | Melting point: -83 °C |
| Soluble: Chloroform, alcohol, and ether. Slightly in | Specific gravity: 0.902 |
| water. | Vapor Density: 3.04 |
| Vapor pressure: 93.2 mm Hg at 25 °C | Vapor pressure: 76 mm Hg |

SECTION 10 — STABILITY AND REACTIVITY

Avoid contact with oxidizers, bases, acids, moisture, and heat. Shelf life: Poor, moisture sensitive. See Section 7 for further information.

SECTION 11 - TOXICOLOGICAL INFORMATION

Acute effects: Irritant, nausea, headache, vomiting. Chronic effects: Anemia. Target organs: Liver, kidneys, central nervous system, blood.

ORL-RAT LD₅₀: 5620 mg/kg IHL-RAT LC₅₀: 45 g/m³/2 hour SKN-RBT LD₅₀: 720 g/kg

SECTION 12 — ECOLOGICAL INFORMATION

Data not yet available.

SECTION 13 — DISPOSAL CONSIDERATIONS

Please review all federal, state and local regulations that may apply before proceeding. Flinn Suggested Disposal Method #18a is one option.

SECTION 14 — TRANSPORT INFORMATION

Shipping name: Ethyl acetate. Hazard class: 3, Flammable Liquid. UN number: UN1173.

SECTION 15 — REGULATORY INFORMATION

TSCA-listed, EINECS-listed (205-500-4), RCRA code U112.

SECTION 16 — OTHER INFORMATION

This Safety Data Sheet (SDS) is for guidance and is based upon information and tests believed to be reliable. Flinn Scientific, Inc. makes no guarantee of the accuracy or completeness of the data and shall not be liable for any damages relating thereto. The data is offered solely for your consideration, investigation, and verification. The data should not be confused with local, state, federal or insurance mandates, regulations, or requirements and CONSTITUTE NO WARRANTY. Any use of this data and information must be determined by the science instructor to be in accordance with applicable local, state or federal laws and regulations. The conditions or methods of handling, storage, use and disposal of the product(s) described are beyond the control of Flinn Scientific, Inc. and may be beyond our knowledge. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE,

USE OR DISPOSAL OF THIS PRODUCT(S).

N.A. = Not available, not all health aspects of this substance have been fully investigated. N/A = Not applicable

Consult your copy of the Flinn Science Catalog/Reference Manual for additional information about laboratory chemicals.

Revision Date: July 14, 2015