

Date Prepared: 06/03/2016 Reviewed On: 04/22/2016

1 Identification

· Product Identifier:

· Product Name: Indole

· Catalog Number: 261185

· Application of the substance / the mixture

Laboratory Chemicals Laboratory Chemicals

· Details of the supplier of the safety data sheet

Manufacturer/Supplier:

BD Diagnostic Systems

7 Loveton Circle

Sparks, MD 21152

Telephone: (410) 771 - 0100 or (800) 638 - 8663

Email Address: Technical_Services@bd.com

· Information Department: Technical Service

· Emergency telephone number:

In case of a chemical emergency, spill, fire, exposure, or accident, contact BD Diagnostic Systems (410) 771-0100 or (800)-638-8663, or ChemTrec at (800) 424-9300.

2 Hazard(s) identification

Classification of the substance or mixture



GHS02 Flame

Flam. Liq. 3 H226 Flammable liquid and vapor.



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

STOT SE 3 H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)

on page 2



Date Prepared: 06/03/2016 Reviewed On: 04/22/2016

Product Name: Indole

(Contd. of page 1)

· Hazard pictograms







GHS02 GHS05 GHS07

· Signal word Danger

· Hazard-determining components of labeling:

hydrochloric acid

isobutanol

p-Dimethylaminobenzaldehyde

· Hazard statements

H226 Flammable liquid and vapor.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P240 Ground/bond container and receiving equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

P363 Wash contaminated clothing before reuse.

P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P370+P378 In case of fire: Use for extinction: CO2, powder or water spray.

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

(Contd. on page 3)



Reviewed On: 04/22/2016 Date Prepared: 06/03/2016

Product Name: Indole

(Contd. of page 2)

· NFPA ratings (scale 0-4)



Health = 3Flammability = 3Reactivity = 0

· HMIS ratings (scale 0-4)



3 Health = 33 Flammability = 3REACTIVITY \bigcirc Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixture
- · Description: Mixture consisting of the following components.

· Dangerous Components:		
CAS: 78-83-1	isobutanol	62.3%
EINECS: 201-148-0	Flam. Liq. 3, H226; Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335-H336	
CAS: 7647-01-0	hydrochloric acid	32.1%
EINECS: 231-595-7	Skin Corr. 1B, H314; STOT SE 3, H335	
CAS: 100-10-7	p-Dimethylaminobenzaldehyde	5.6%
EINECS: 202-819-0	Acute Tox. 4, H302	

· Additional information Risk phrases refer to section 15.

4 First-aid measures

- · Description of first aid measures
- · General information

Remove breathing apparatus only after contaminated clothing have been completely removed.

- · After inhalation Seek medical treatment in case of complaints.
- · After skin contact Immediately wash with water and soap and rinse thoroughly.
- · After eye contact

Rinse opened eye for 15 minutes under running water. Then consult a doctor.

- · After swallowing Immediately call a doctor.
- · Information for doctor Show this product label or this SDS.

(Contd. on page 4)



Date Prepared: 06/03/2016 Reviewed On: 04/22/2016

Product Name: Indole

(Contd. of page 3)

· Most important symptoms and effects, both acute and delayed No further relevant information available.

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents

CO2, ABC multipurpose dry chemical or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Wipe up with damp sponge or mop.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders). Use neutralizing agent.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling
- · Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility:

Store away from oxidizing agents.

Do not store together with alkaline material.

(Contd. on page 5)



Date Prepared: 06/03/2016 Reviewed On: 04/22/2016

Product Name: Indole

(Contd. of page 4)

- · Further information about storage conditions:
- Store in cool, dry conditions in well sealed containers.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems:

No further data; see Section 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

78-83-1 isobutanol

PEL Long-term value: 300 mg/m³, 100 ppm REL Long-term value: 150 mg/m³, 50 ppm TLV Long-term value: 152 mg/m³, 50 ppm

7647-01-0 hydrochloric acid

PEL Ceiling limit value: 7 mg/m³, 5 ppm
REL Ceiling limit value: 7 mg/m³, 5 ppm
TLV Ceiling limit value: 2.98 mg/m³, 2 ppm

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal Protective Equipment
- · General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure, use a chemical fume hood or a NIOSH/MSHA-approved respirator.

Protection of hands:





Chemical resistant gloves (i.e. nitrile, or equivalent).

· Eye protection:

Safety glasses

Tightly sealed goggles.

· Body protection: Protective work clothing (lab coat).

US



Date Prepared: 06/03/2016 Reviewed On: 04/22/2016

Product Name: Indole

(Contd. of page 5)

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Liquid

Color: According to product specification

· Odor: Characteristic

· pH-value: Acidic

· Change in condition

Melting point/Melting range: Not determined Boiling point/Boiling range: 85 °C (185 °F)

· Flash point: 24 °C (75 °F)

· Ignition temperature: 390.0 °C (734 °F)

· Auto igniting: Product is not self igniting.

• Danger of explosion: Product is not explosive. However, formation of explosive

air/vapor mixtures are possible.

· Explosion limits:

Lower: 1.7 Vol % **Upper:** 12.0 Vol %

Vapor pressure at 20 °C (68 °F): 20.0 hPa (15 mm Hg)

· **Density:** Not determined

· Solubility in / Miscibility with

Water: Soluble

• Other information No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: Incompatibles materials: Strong Bases and oxidizers
- · Hazardous decomposition products:

Nitrogen oxides (NOx)

Carbon monoxide (CO) and carbon dioxide (CO2)

(Contd. on page 7)



Date Prepared: 06/03/2016 Reviewed On: 04/22/2016

Product Name: Indole

Chlorine (CI)

(Contd. of page 6)

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

7647-01-0 hydrochloric acid

Oral LD50 900 mg/kg (rab)

- · Primary irritant effect:
- · on the skin: Caustic effect on skin and mucous membranes.
- · on the eye: Strong caustic effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Corrosive (causes skin burns)

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

7647-01-0 hydrochloric acid

3

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Other information:

The ecological effects have not been thoroughly investigated, but currently none have been identified.

(Contd. on page 8)



Date Prepared: 06/03/2016 Reviewed On: 04/22/2016

Product Name: Indole

(Contd. of page 7)

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed of with solid waste.

Dispose of material in accordance with federal (40 CFR 261.3), state and local requirements.

RCRA hazardous waste - RCRA # D001 (ignitable).

RCRA hazardous waste - RCRA # D002 (Corrosive).

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to state and federal regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

· UN-Number

DOT UN2924
 IMDG, IATA 2924

· UN proper shipping name

FLAMMABLE LIQUID, CORROSIVE, N.O.S. (ISOBUTANOL, HYDROCHLORIC ACID)

- · Transport hazard class(es)
- · DOT





· Class 3 Flammable liquids

· **Label** 3 + 8

(Contd. on page 9)



Date Prepared: 06/03/2016 Reviewed On: 04/22/2016

Product Name: Indole

(Contd. of page 8)

· IMDG, IATA





· Class 3 Flammable liquids

• **Label** 3 + 8

· Packing group

· DOT, IMDG, IATA |||

· Environmental hazards:

· Marine pollutant: No

· Special precautions for user Warning: Flammable liquids

EMS Number: F-E,S-C

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· Transport/Additional information:

· DOT

• Remarks: This product can be transported using the

"small quantity" exception. This package conforms to 49 CFR 173.4 for domestic

highway or rail transport only.

The Hazard Class, Identification number, and Packing group listed above is for informational

purposes only.

· IMDG

· Remarks: Limited quantity

·IATA

• **Remarks:** This product can be transported using the

exception: Dangerous Goods in Excepted Quantities. The Hazard class, Identification number, and Packing group listed above is for

informational purposes only.

· UN "Model Regulation": UN2924, FLAMMABLE LIQUID, CORROSIVE,

N.O.S. (ISOBUTANOL (ISOBUTYL

ALCOHOL), HYDROCHLORIC ACID,

SOLUTION), 3 (8), III



Reviewed On: 04/22/2016 Date Prepared: 06/03/2016

Product Name: Indole

(Contd. of page 9)

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or
- · SARA Section 355 (extremely hazardous substances)

7647-01-0 hydrochloric acid

· SARA Section 313 (specific toxic chemical listings)

7647-01-0 hydrochloric acid

· TSCA (Toxic Substances Control Act)

All ingredients are listed.

· California Proposition 65 - Chemicals known to cause cancer

None of the ingredients is listed.

· California Proposition 65 - Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· California Proposition 65 - Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· California Proposition 65 - Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic categories
- · TLV (Threshold Limit Value established by ACGIH)

7647-01-0 hydrochloric acid

A4

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms







GHS02 GHS05 GHS07

- · Signal word Danger
- · Hazard-determining components of labeling:

hydrochloric acid

isobutanol

p-Dimethylaminobenzaldehyde

· Hazard statements

H226 Flammable liquid and vapor.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

(Contd. on page 11)



Date Prepared: 06/03/2016 Reviewed On: 04/22/2016

Product Name: Indole

(Contd. of page 10)

H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P240 Ground/bond container and receiving equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

P363 Wash contaminated clothing before reuse.

P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P370+P378 In case of fire: Use for extinction: CO2, powder or water spray.

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

To the best of our knowledge, the information contained herein is accurate. However, neither Becton, Dickinson and Company or any of its subsidiaries assumes any liabilities whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we can not guarantee that these are the only hazards that exist.

Department issuing SDS:

Environmental, Health & Safety Created by Michael J. Spinazzola

- · Contact: Technical Service Representative
- · Date of preparation / last revision 06/03/2016 / -
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

(Contd. on page 12)



Date Prepared: 06/03/2016 Reviewed On: 04/22/2016

Product Name: Indole

(Contd. of page 11)

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

US