

# SAFETY DATA SHEET

Creation Date 16-Apr-2014

Revision Date 25-Apr-2019

**Revision Number** 4

1. Identification		
Product Name	Filling Solution: 4M KCI saturated with AgCI	
Cat No. :	SP135-500	
Synonyms	Electrode Refill Solutions for Single Junction Silver/Silver Chloride.	
Recommended Use Uses advised against Details of the supplier of the s	Laboratory chemicals. Food, drug, pesticide or biocidal product use. <b>afety data sheet</b>	
<u>Company</u> Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100		

Emergency Telephone Number CHEMTREC®, Inside the USA: 800-424-9300 CHEMTREC®, Outside the USA: 001-703-527-3887

2. Hazard(s) identification

#### Classification

Classification under 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

## Label Elements

None required

Hazards not otherwise classified (HNOC)

None identified

## 3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Water	7732-18-5	73.8

Potassium chloride	7447-40-7	26.0
Silver chloride	7783-90-6	0.15
Hydrogen chloride	7647-01-0	0.05

4. First-aid measures		
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.	
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Get medical attention immediately if symptoms occur.	
Inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur.	
Ingestion	Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.	
Most important symptoms and	None reasonably foreseeable.	
effects Notes to Physician	Treat symptomatically	

5. Fire-fighting measures

Suitable Extinguishing Media	Substance is nonflammable; use agent most appropriate to extinguish surrounding fire.
------------------------------	---

Unsuitable Extinguishing Media	No information available
Flash Point Method -	No information available No information available
Autoignition Temperature Explosion Limits	No information available
Upper	No data available
Lower	No data available
Sensitivity to Mechanical Impact	No information available
Sensitivity to Static Discharge	No information available

#### **Specific Hazards Arising from the Chemical**

Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes.

#### Hazardous Combustion Products

Thermal decomposition can lead to release of irritating gases and vapors.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA Health 1	<b>Flammability</b> 0	<b>Instability</b> 0	Physical hazards N/A
	6. Accidental re	lease measures	
Personal Precautions Environmental Precautions		quipment as required. Ensure ac o the environment. See Section	

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal. Up

	7. Handling and storage
Handling	Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid ingestion and inhalation. Avoid contact with skin, eyes or clothing.

#### Storage

Keep containers tightly closed in a dry, cool and well-ventilated place.

### 8. Exposure controls / personal protection

#### Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Silver chloride				TWA: 0.1 mg/m <sup>3</sup>
Hydrogen chloride	Ceiling: 2 ppm	Ceiling: 5 ppm Ceiling: 7 mg/m <sup>3</sup> (Vacated) Ceiling: 5 ppm (Vacated) Ceiling: 7 mg/m <sup>3</sup>	IDLH: 50 ppm Ceiling: 5 ppm Ceiling: 7 mg/m <sup>3</sup>	Ceiling: 2 ppm

#### <u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures None under normal use conditions.

#### Personal Protective Equipment

Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
<b>Respiratory Protection</b>	No protective equipment is needed under normal use conditions.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

	9. Physical and chemical properties
Physical State	Liquid
Appearance	Colorless
Odor	Odorless
Odor Threshold	No information available
рН	
Melting Point/Range	-10 °C / 14 °F
Boiling Point/Range	100 °C / 212 °F
Flash Point	No information available
Evaporation Rate	> 1 (Ether = 1.0)
Flammability (solid,gas)	Not applicable
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	14 mmHg
Vapor Density	0.7
Specific Gravity	1.2
Solubility	Soluble in water
Partition coefficient; n-octanol/w	vater No data available
Autoignition Temperature	No information available

#### **Decomposition Temperature** Viscosity

No information available No information available

# 10. Stability and reactivity

Reactive Hazard	None known, based on information available	
Stability	Stable under normal conditions.	
Conditions to Avoid	Excess heat.	
Incompatible Materials	None known	
Hazardous Decomposition Products Thermal decomposition can lead to release of irritating gases and vapors		
Hazardous Polymerization	Hazardous polymerization does not occur.	
Hazardous Reactions	None under normal processing.	
11. Toxicological information		

Acute Toxicity

Product Information Oral LD50 Dermal LD50 Vapor LC50 Component Information	Based on ATE data, the cl	assification criteria are not met. A assification criteria are not met. A assification criteria are not met. A	ATE > 2000 mg/kg.
Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	-	-	-
Potassium chloride	LD50 = 2600 mg/kg (Rat)	Not listed	Not listed
Silver chloride	>5.11 g/kg (rat)	Not listed	Not listed
Hydrogen chloride	LD50 238 - 277 mg/kg (Rat)	LD50 > 5010 mg/kg (Rabbit)	LC50 = 1.68 mg/L (Rat) 1 h
Toxicologically Synergistic Products Delayed and immediate effect	No information available s as well as chronic effects fron	n short and long-term exposure	e_
Irritation	No information available		
Sensitization	No information available		
Carcinogenicity	The table below indicates	whether each agency has listed a	any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Water	7732-18-5	Not listed				
Potassium chloride	7447-40-7	Not listed				
Silver chloride	7783-90-6	Not listed				
Hydrogen chloride	7647-01-0	Not listed				

IARC (International Agency for Research on Cancer)

t listed Not listed Not listed IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

Mutagenic Effects	No information available
Reproductive Effects	No information available.
Developmental Effects	No information available.
Teratogenicity	No information available.

STOT - single exposure STOT - repeated exposure	None known None known
Aspiration hazard	No information available
Symptoms / effects,both acute and delayed	No information available
Endocrine Disruptor Information	No information available
Other Adverse Effects	The toxicological properties have not been fully investigated.

# 12. Ecological information

#### **Ecotoxicity**

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea		
Potassium chloride	EC50: 2500 mg/L/72h	Lepomis macrochirus: LC50:	Not listed	EC50: 825 mg/L/48h		
	C	1060 mg/L /96h		C C		
		Pimephales promelas: LC50:				
		750 - 1020 mg/L /96h				
Silver chloride	-	Pimephales promelas:	-	-		
		LC50=1.93 mg/L 96h				
Hydrogen chloride	Not listed	LC50: = 282 mg/L, 96h static	Not listed	Not listed		
		(Gambusia affinis)				
Persistence and Degrada	ability Soluble in	water Persistence is unlikely	based on information av	ailable.		
<b>Bioaccumulation/Accum</b>	nulation No information	ation available.				
Mobility	<b>Iobility</b> Will likely be mobile in the environment due to its water solubility.					
-	-					
12 Dispessel considerations						
13. Disposal considerations						
Waste Disposal Methods	Chemical	waste generators must detern	nine whether a discarde	d chemical is classified as a		
-	hazardous	waste. Chemical waste gene	erators must also consu	It local, regional, and		
	national ha	azardous waste regulations to	ensure complete and a	ccurate classification.		
		C	·			
	1 /	Tropoport informed	ation			
	14.	Transport informa	ation			
DOT	Not regula	ted				
TDG	Not regula	Not regulated				
IATA		Not regulated				
IMDG/IMO	Not regula					

15. Regulatory information

#### United States of America Inventory

Component	CAS-No	TSCA	TSCA Inventory notification - Active/Inactive	TSCA - EPA Regulatory Flags
Water	7732-18-5	Х	ACTIVE	-
Potassium chloride	7447-40-7	Х	ACTIVE	-
Silver chloride	7783-90-6	Х	ACTIVE	-
Hydrogen chloride	7647-01-0	Х	ACTIVE	-

#### Legend:

**TSCA** - Toxic Substances Control Act, (40 CFR Part 710) X - Listed '-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

#### International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Australia (AICS), China (IECSC), Korea (ECL).

Component	CAS-No	DSL	NDSL	EINECS	PICCS	ENCS	AICS	IECSC	KECL
Water	7732-18-5	Х	-	231-791-2	Х	Х	Х	Х	KE-35400
Potassium chloride	7447-40-7	Х	-	231-211-8	Х	Х	Х	Х	KE-29086
Silver chloride	7783-90-6	Х	-	232-033-3	Х	Х	Х	Х	KE-31267
Hydrogen chloride	7647-01-0	Х	-	231-595-7	Х	Х	Х	Х	KE-20189

#### U.S. Federal Regulations

#### SARA 313

Component	CAS-No	Weight %	SARA 313 - Threshold Values %
Silver chloride	7783-90-6	0.15	1.0
Hydrogen chloride	7647-01-0	0.05	1.0

#### SARA 311/312 Hazard Categories See section 2 for more information

#### **CWA (Clean Water Act)**

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Silver chloride	-	-	Х	-
Hydrogen chloride	Х	5000 lb	-	-

#### Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Hydrogen chloride	Х		-

#### **OSHA** - Occupational Safety and

Health Administration

Component	Specifically Regulated Chemicals	Highly Hazardous Chemicals
Hydrogen chloride	-	TQ: 5000 lb

#### CERCLA

Component	Hazardous Substances RQs	CERCLA EHS RQs		
Hydrogen chloride	5000 lb	5000 lb		
O-literate Preserve Ster CE				

**California Proposition 65** This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know

#### Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Water	-	-	Х	-	-
Silver chloride	-	Х	Х	-	-
Hydrogen chloride	Х	Х	Х	Х	X

#### U.S. Department of Transportation

Reportable Quantity (RQ):	Ν
DOT Marine Pollutant	Ν
DOT Severe Marine Pollutant	Ν

# U.S. Department of Homeland Security

# This product contains the following DHS chemicals:

Legend - STQs = Screening Threshold Quantities, APA = A placarded amount

Component	DHS Chemical Facility Anti-Terrorism Standard
Hydrogen chloride	Release STQs - 15000lb (concentration >=37%)

Release STQs - 5000lb (anhydrous)
Theft STQs - 500lb (anhydrous)

Other International Regulations

Mexico - Grade

No information available

	16. Other information	
Prepared By	Regulatory Affairs	
	Thermo Fisher Scientific	
	Email: EMSDS.RA@thermofisher.com	
Creation Date	16-Apr-2014	
Revision Date	25-Apr-2019	
Print Date	25-Apr-2019	
Revision Summary	This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).	

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of SDS**