

SAFETY DATA SHEET

Creation Date 22-Sep-2011

Revision Date 24-Dec-2021

Revision Number 2

1. IdentificationProduct NameMaleic anhydrideCat No. :AC465660000; AC465660010; AC465660050; AC465660250;
AC465660251CAS No
Synonyms108-31-6
2,5-Furandione; MARecommended Use
Uses advised againstLaboratory chemicals.
Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

<u>Company</u> Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Acros Organics One Reagent Lane Fair Lawn, NJ 07410

Emergency Telephone Number

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US:**001-201-796-7100 / **Europe:** +32 14 57 52 99 **CHEMTREC** Tel. No.**US:**001-800-424-9300 / **Europe:**001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicity Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Respiratory Sensitization Skin Sensitization Specific target organ toxicity - (repeated exposure) Target Organs - Respiratory system. Category 4 Category 1 B Category 1 Category 1 Category 1 Category 1

Label Elements

Signal Word Danger

Hazard Statements

May form combustible dust concentrations in air

Harmful if swallowed

Causes severe skin burns and eye damage

May cause an allergic skin reaction

May cause allergy or asthma symptoms or breathing difficulties if inhaled Causes damage to organs through prolonged or repeated exposure



Precautionary Statements Prevention

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Do not breathe dust/fume/gas/mist/vapors/spray Wear protective gloves/protective clothing/eye protection/face protection In case of inadequate ventilation wear respiratory protection Contaminated work clothing should not be allowed out of the workplace Use only outdoors or in a well-ventilated area Wear respiratory protection Response Immediately call a POISON CENTER or doctor/physician Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Immediately call a POISON CENTER or doctor/physician Skin IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse If skin irritation or rash occurs: Get medical advice/attention Eves IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Ingestion Do NOT induce vomiting Rinse mouth

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Corrosive to the respiratory tract

3. Composition/Information on Ingredients

Component	CAS No	Weight %
Maleic anhydride	108-31-6	>95

4. First-aid measures

General Advice

Show this safety data sheet to the doctor in attendance. Immediate medical attention is

	required.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required. Keep eye wide open while rinsing.
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Call a physician immediately.
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. Call a physician or poison control center immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.
Ingestion	Immediate medical attention is required. Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person.
Most important symptoms and effects	Causes burns by all exposure routes. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergic skin reaction. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing
Notes to Physician	Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media	Carbon dioxide (CO $_2$). Water spray. Alcohol resistant foam. CO $_2$, dry chemical, dry sand, alcohol-resistant foam.
Unsuitable Extinguishing Media	Dry chemical
Flash Point	102 °C / 215.6 °F
Method -	No information available
Autoignition Temperature	477 °C / 891 °F
Explosion Limits Upper Lower Sensitivity to Mechanical Impac Sensitivity to Static Discharge	
Specific Hazards Arising from the C The product causes burns of eyes, ski	

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO₂). Acetylene. **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

<u>NFPA</u>	Health 3	Flammability 1	Instability 1	Physical hazards N/A
		6. Accidental rel	ease measures	
Personal	Precautions	Use personal protective eq	uipment as required. Evacuate	e personnel to safe areas. Avoid

Environmental Precautions

contact with skin, eyes or clothing.

Should not be released into the environment. Do not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system.

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal. Avoid dust formation. Up

 7. Handling and storage

 Handling
 Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe dust. Do not ingest. If swallowed then seek immediate medical assistance.

 Storage.
 Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Incompatible Materials. Strong oxidizing agents. Water. Alkali metals. Strong reducing agents. Alcohols.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Maleic anhydride	TWA: 0.01 mg/m ³	(Vacated) TWA: 0.25 ppm	IDLH: 10 mg/m ³	TWA: 0.01 ppm
		(Vacated) TWA: 1 mg/m ³	TWA: 0.25 ppm	
		TWA: 0.25 ppm	TWA: 1 mg/m ³	
		TWA: 1 mg/m ³		

<u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Use only under a chemical fume hood. Ensure adequate ventilation, especially in confined **Engineering Measures** areas. Ensure that eyewash stations and safety showers are close to the workstation location. **Personal Protective Equipment Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard **Respiratory Protection** EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Handle in accordance with good industrial hygiene and safety practice. **Hygiene Measures**

Physical and chemical properties **Physical State** Solid Appearance White Odor pungent **Odor Threshold** No information available pН No information available **Melting Point/Range** 52 - 55 °C / 125.6 - 131 °F 200 °C / 392 °F @ 760 mmHg **Boiling Point/Range** 102 °C / 215.6 °F Flash Point

Evaporation Rate Flammability (solid,gas) Flammability or explosive limits Upper Lower Vapor Pressure Vapor Density Specific Gravity Solubility Partition coefficient; n-octanol/water Autoignition Temperature Decomposition Temperature Viscosity Molecular Formula Molecular Weight Not applicable No information available 7.1 vol % 1.4 vol % No information available Not applicable 1.480 No information available No data available 477 °C / 891 °F 290 °C Not applicable C4 H2 O3 98.06

10. Stability and reactivity

Reactive Hazard	None known, based on information available	
Stability	Stable under recommended storage conditions. Moisture sensitive.	
Conditions to Avoid	Incompatible products. Excess heat. Exposure to moist air or water.	
Incompatible Materials	Strong oxidizing agents, Water, Alkali metals, Strong reducing agents, Alcohols	
Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2), Acetylene		
Hazardous Polymerization	Hazardous polymerization does not occur.	
Hazardous Reactions	None under normal processing.	

11. Toxicological information

Acute Toxicity

Product Information Component Information

Component information			
Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Maleic anhydride	235 mg/kg (Rat)	LD50 = 2620 mg/kg (Rabbit)	LC50 = 0.16 mg/L (Rat) 4 h
	400 mg/kg (Rat)		
Toxicologically Synergistic	No information available		

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Causes burns by all exposure routes

Sensitization May cause sensitization by inhalation and skin contact

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Maleic anhydride	108-31-6	Not listed	Not listed	Not listed	Not listed	Not listed
Mutagenic Effects		No information available				
Reproductive Effect	S	No information available.				
•						
Developmental Effe	cts	No information available.				
Teratogenicity		No information available.				

STOT - single exposure STOT - repeated exposure	None known Respiratory system
Aspiration hazard	No information available
Symptoms / effects,both acute and delayed	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing
Endocrine Disruptor Information	No information available
Other Adverse Effects	The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

Do not empty into drains. The product contains following substances which are hazardous for the environment. Contains a substance which is:. Harmful to aquatic organisms.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Maleic anhydride	EC50: = 29 mg/L, 72h (Desmodesmus subspicatus)	LC50: = 75 mg/L, 96h static (Oncorhynchus mykiss)	EC50 = 12.5 mg/L 15 min EC50 = 44.0 mg/L 30 min	Not listed
Persistence and Degradability Soluble in water Persistence is unlikely based on information available.				

Bioaccumulation/Accumulation No information available.

Mobility

Will likely be mobile in the environment due to its water solubility.

Component	log Pow
Maleic anhydride	-2.61

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Component	RCRA - U Series Wastes	RCRA - P Series Wastes
Maleic anhydride - 108-31-6	U147	-

	14. Transport information
DOT	
UN-No	UN2215
Proper Shipping Name	MALEIC ANHYDRIDE
Hazard Class	8
Packing Group	111
TDG	
UN-No	UN2215
Proper Shipping Name	MALEIC ANHYDRIDE
Hazard Class	8
Packing Group	III
IATA	
UN-No	UN2215
Proper Shipping Name	MALEIC ANHYDRIDE
Hazard Class	8
Packing Group	III
IMDG/IMO	

UN-No	UN2215
Proper Shipping Name	MALEIC ANHYDRIDE
Hazard Class	8
Packing Group	III

15. Regulatory information

United States of America Inventory

	Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
ſ	Maleic anhydride	108-31-6	Х	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710) X - Listed

'-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Maleic anhydride	108-31-6	Х	-	203-571-6	X	Х	Х	Х	Х	KE-17314

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313

Component	CAS No	Weight %	SARA 313 - Threshold Values %
Maleic anhydride	108-31-6	>95	1.0

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act)

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Maleic anhydride	Х	5000 lb	-	-

Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Maleic anhydride	Х		-

OSHA - Occupational Safety and Not applicable Health Administration

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs	
Maleic anhydride	5000 lb	-	

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know

Regulations

Security

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Maleic anhydride	Х	Х	Х	Х	Х

U.S. Department of Transportation

U.S. Department of Homeland	Tł
Reportable Quantity (RQ): DOT Marine Pollutant DOT Severe Marine Pollutant	Y N N

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade Slight risk, Grade 1

Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Maleic anhydride	-	Use restricted. See item 75. (see link for restriction details)	-

https://echa.europa.eu/substances-restricted-under-reach

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Maleic anhydride	108-31-6	Listed	Not applicable	Not applicable	Not applicable
Component	CAS No	Seveso III Directive	Seveso III Directive	Rotterdam	Basel Convention
		(2012/18/EC) - Qualifying Quantities for Major Accident Notification	(2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Convention (PIC)	(Hazardous Waste)
Maleic anhydride	108-31-6	Not applicable	Not applicable	Not applicable	Not applicable

16. Other information	
Prepared By	Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com
Creation Date Revision Date Print Date Revision Summary	22-Sep-2011 24-Dec-2021 24-Dec-2021 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS