

1. Product and Company Identification

PRODUCT NUMBER: 3900 **COMPANY PHONE:** 1-800-241-8180 PRODUCT NAME: SLIME-X

EMERGENCY TELEPHONE: 1-800-241-8180

PRODUCT DESCRIPTION: Air Conditioning Condensate Pan

Protector PRO CHEM, INC.

COMPANY INFORMATION: 1475 Bluegrass Lakes Parkway

Alpharetta, GA 30004

2. Hazards Identification

GHS CLASSIFICATION: Physical hazards: Not classified. Acute toxicity, oral: Category 4 Skin corrosion/irritation: Category 2

Serious eye damage/eye irritation: Category 1 Environmental hazards: Not classified. OSHA defined hazards: Not classified.

SIGNAL WORD: SYMBOL:

INFOTRAC:



1-800-535-5053

HAZARD STATEMENTS:

Harmful if swallowed. Causes skin irritation. Causes serious eye damage.

PRECAUTIONARY STATEMENTS:

Prevention:

Wear protective gloves/protective clothing/eye protection/face protection.

Wash thoroughly after handling.

Do not eat, drink, or smoke when using this product.

Response:

IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.

Specific treatment (see this label).

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor.

IF SWALLOWED: Call a poison center/doctor/ physician if you feel unwell. Rinse mouth.

DANGER

Storage: Not applicable.

Disposal: Dispose of contents/container in accordance with local/regional/national/international regulations.

HAZARDS NOT OTHERWISE SPECIFIED:

None known.

SUPPLEMENTAL INFORMATION:

0.27% of the mixture consists of component(s) of unknown acute oral toxicity.

| 3. Composition / Information on Ingredients | | | | | |
|--|------------|---------------------------|--|--|--|
| CHEMICAL NAME | CAS | Concentration % by Weight | | | |
| Urea | 57-13-6 | 40 | | | |
| Benzyl-C12-18-alkyldimethyl ammonium chlorides | 68391-01-5 | 21.6 | | | |

4. First Aid Measures

EMERGENCY OVERVIEW

GENERAL: Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. EYES:

Immediately call a poison center/doctor.

If on skin: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it SKIN:

before reuse.

INHALATION: If inhaled: Remove person to fresh air and keep comfortable for breathing.

INGESTION: If swallowed: Rinse mouth. Do NOT induce vomiting.

MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND DELAYED:

Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED:

Provide general supportive measures and treat symptomatically. In case of shortness of breath, give oxygen. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

5. Fire-Fighting Measures

SUITABLE FIRE EXTINGUISHING MEDIA:

Water spray. Fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

UNSUITABLE FIRE ÉXTINGUISHING MEDIA:

None known.

SPECIFIC HAZARDS ARISING FROM THE CHEMICAL:

During fire, gases hazardous to health may be formed.

Product Name: SLIME-X Pro Chem Inc Product Number: 3900 Revision Date: 5/16/2016 Page 1 of 5

SPECIFIC FIRE-FIGHTING METHODS:

In the event of fire, cool tanks with water spray. Cool containers exposed to flames with water until well after the fire is out.

SPECIAL PROTECTIVE EQUIPMENT FOR FIREFIGHTERS:

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

GENERAL FIRE HAZARDS:

No unusual fire or explosion hazards noted.

6. Accidental Release Measures

PERSONAL PRECAUTIONS:

Keep unnecessary personnel away. Keep out of low areas. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during cleanup. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see Section 8 of the SDS.

METHODS & MATERIALS FOR CONTAINMENT & CLEANUP:

This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways. Stop the flow of material, if this is without risk. Following product recovery, flush area with water. For waste disposal, see Section 13 of the SDS

ENVIRONMENTAL PRECAUTIONS:

. Avoid discharge into drains, watercourses or onto the ground.

7. Handling and Storage

PRECAUTIONS FOR SAFE HANDLING:

Do not get this material in contact with eyes. Do not get this material in contact with skin. Do not taste or swallow. Avoid prolonged exposure. Do not get this material on clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. When using, do not eat, drink, or smoke. Wash hands thoroughly after handling.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES:

Keep container tightly closed. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure Controls / Personal Protection

Occupational exposure limits

US. AIHA Workplace Environmental Exposure Level (WEEL) Guides

COMPONENTSTYPEVALÚEFORMUrea (CAS 57-13-6)TWA10 mg/m³Total particulate.

BIOLOGICAL LIMIT VALUES:

No biological exposure limits noted for the ingredient(s).

ENGINEERING CONTROLS:

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eyewash facilities and emergency shower must be available when handling this product. Provide eyewash station.

INDIVIDUAL PROTECTION MEASURES, SUCH AS PERSONAL PROTECTIVE EQUIPMENT







EYE/FACE PROTECTION: Wear safety glasses with side shields (or goggles) and a face shield.

SKIN PROTECTION: Wear appropriate chemical resistant gloves. Wear appropriate chemical resistant clothing.

RESPIRATORY PROTECTION: In case of insufficient ventilation, wear suitable respiratory equipment.

THERMAL HAZARDS: Wear appropriate thermal protective clothing, when necessary.

GENERAL HYGIENE CONSIDERATIONS: When using, do not eat, drink, or smoke. Wash hands after handling and before eating.

| Appearance: | Crystalline. | Flammability (solid/gas): | Not applicable. |
|------------------------------------|-----------------|-------------------------------|-----------------|
| Physical State: | Solid. | Flammability Limit – lower(%) | Not available. |
| Form: | Solid. Tablets. | Flammability Limit-upper(%): | Not available. |
| Color: | Green. | Explosive Limit – lower (%): | Not available. |
| Odor: | Coconut. | Explosive Limit – upper (%): | Not available. |
| Odor Threshold: | Not available. | Vapor Pressure: | Not available. |
| pH: | Not available. | Vapor Density: | Not available. |
| Melting/Freezing Point: | Not available. | Relative Density: | Not available. |
| Initial Boiling Point/Range: | Not available. | Solubility (ies): | 100%. |
| Partition Coeff (n-octanol/water): | Not available. | Auto-Ignition Temperature: | Not available. |
| Viscosity: | Not available. | Decomposition Temperature: | Not available. |
| Specific Gravity: | 0.981. | Flash Point: | Not available. |
| Pour Point: | Not available. | Evaporation Rate: | Not available. |

10. Stability & Reactivity Information

REACTIVITY:

Do not mix with other chemicals.

POSSIBILITY OF HAZARDOUS REACTIONS:

No dangerous reaction known under conditions of normal use.

Product Name: SLIME-X
Product Number: 3900
Revision Date: 5/16/2016
Product Number: 3900
Product Number: 5/16/2016

CHEMICAL STABILITY:

Material is stable under normal conditions.

INCOMPATIBLE MATERIALS:

Strong oxidizing agents.

CONDITIONS TO AVOID:

Contact with incompatible materials.

HAZARDOUS DECOMPOSITION PRODUCTS:

May include and are not limited to: Hydrogen chloride. Ammonia.

11. Toxicological Information

PRIMARY ROUTE OF ENTRY:

EYES: Causes serious eye damage.

SKIN: Not corrosive to skin based on in-vitro test data (OECD Guideline 435 - Corrositex®).

0050150

INHALATION: Prolonged inhalation may be harmful. May cause irritation to the respiratory system.

INGESTION: Harmful if swallowed.

SYMPTOMS RELATED TO THE PHYSICAL, CHEMICAL AND TOXICOLOGICAL CHARACTERISTICS:

Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

TEOT DECL!! TO

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY VALUES:

Harmful if swallowed.

| COMPONENTS | SPECIES | TEST RESULTS |
|--------------------------------------|------------------------------|--------------------------|
| Benzyl-C12-18-alkyldimethyl ammoniur | m chlorides (CAS 68391-01-5) | |
| Acute | | |
| Dermal | | |
| LD50 | Rat | 2000 mg/kg 1420 mg/kg |
| Inhalation | | |
| LC50 | Not available | |
| Oral | | |
| LD50 | Mouse | 150 mg/kg |
| | Rat | 240 mg/kg |
| Urea (CAS 57-13-6) | | |
| Acute | | |
| Dermal | | |
| LD50 | Rabbit | 21000 mg/kg |
| Inhalation | | |
| LC50 | Not available | |
| Oral | | |
| LD50 | Cattle | 510 mg/kg |
| | Mouse | 11000 mg/kg |
| | Rat | 8471 mg/kg |
| | Sheep | 510 mg/kg |
| | | |

SKIN CORROSION/IRRITATION:

Not corrosive to skin based on in-vitro test data (OECD Guideline 435 - Corrositex®).

Exposure minutes: Not available. Erythema value: Not available. Oedema value: Not available. **SERIOUS EYE DAMAGE/EYE IRRITATION:**

Causes serious eye damage.

Corneal opacity value: Not available. Iris lesion value: Not available.

Conjunctival reddening value: Not available. Conjunctival oedema value: Not available.

Recover days: Not available. RESPIRATORY OR SKIN SENSITIZATION Respiratory sensitization: Not available.

Skin sensitization: Not applicable.

GERM CELL MUTAGENICITY:

No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

CARCINOGENICITY:

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050): Not listed.

REPRODUCTIVE TOXICITY:

This product is not expected to cause reproductive or developmental effects. SPECIFIC TARGET ORGAN TOXICITY- single exposure:

Not classified.

SPECIFIC TARGET ORGAN TOXICITY - repeated exposure:

Not classified.

ASPIRATION HAZARD:

Not available.

CHRONIC EFFECTS:

Prolonged inhalation may be harmful.

Product Name: SLIME-X Pro Chem Inc Product Number: 3900 Revision Date: 5/16/2016 Page 3 of 5

FURTHER INFORMATION:

Not available

12. Ecological Information

ECOTOXICITY:

See below. **COMPONENTS SPECIES TEST RESULTS** Urea (CAS 57-13-6) EC50 10000 mg/L, 48 Hours Crustacea Daphnia Aquatic EC50 Crustacea Water flea (Daphnia magna) 3910 mg/l, 48 hours Giant gourami (Colisa fasciata) 5 mg/l, 96 hours Fish LC50

PERSISTENCE AND DEGRADABILITY:

No data is available on the degradability of this product.

BIOACCUMULATIVE POTENTIAL:

No data available.

Partition coefficient n-octanol / water (log Kow)

Urea -2.11

MOBILITY IN SOIL:

No data available.

MOBILITY IN GENERAL:

Not available.

OTHER ADVERSE EFFECTS:

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal Consideration

DISPOSAL INSTRUCTIONS:

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways, or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

LOCAL DISPOSAL REGULATIONS:

Dispose in accordance with all applicable regulations.

HAZARDOUS WASTE CODE:

The waste code should be assigned in discussion between the user, the producer, and the waste disposal company.

WASTE FROM RESIDUES/UNUSED PRODUCTS:

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

CONTAMINATED PACKAGING:

Empty containers should be taken to an approved waste-handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transportation Information

U.S. Department of Transportation (DOT)

Not regulated as dangerous goods.

Transportation of Dangerous Goods (TDG - Canada)

Not regulated as dangerous goods.

IATA/ICAO (Air)

Not regulated as dangerous goods.

IMDG (Marine Transport)

Not regulated as dangerous goods.

15. Regulatory Information

US FEDERAL REGULATIONS:

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D): Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4): Not listed.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050): Not listed.

SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 (SARA)

Hazard categories: Immediate Hazard - Yes.

Delayed Hazard - No. Fire Hazard - No. Pressure Hazard - No. Reactivity Hazard - No.

SARA 302 Extremely hazardous substance: No.

SARA 311/312 Hazardous chemical: No.

SARA 313 (TRI reporting): Not regulated.

OTHER FEDERAL REGULATIONS:

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List: Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130): Not regulated.

Safe Drinking Water Act (SDWA): Not regulated. Food and Drug Administration (FDA): Not regulated.

US STATE REGULATIONS: See below:

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance: Not listed.

Product Name: SLIME-X Pro Chem Inc Product Number: 3900 Revision Date: 5/16/2016 Page 4 of 5 US - Minnesota Haz Subs: Listed substance:

Urea (CAS 57-13-6) Listed.

US - Texas Effects Screening Levels: Listed substance:

Benzyl-C12-18-alkyldimethyl ammonium chlorides (CAS 68391-01-5) Listed. Urea (CAS 57-13-6) Listed.

US. Massachusetts RTK - Substance List: Not regulated.
US. Pennsylvania RTK - Hazardous Substances: Not regulated.

US. Rhode Island RTK: Not regulated.

 Country(s) or region
 Inventory name

 United States & Puerto Rico
 Toxic Substances Control Act (TSCA) Inventory

On inventory (yes/no)*

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)

16. Other Information

N/A = Not Applicable; N/D = Not Determined

| NFPA | Health Hazards: 2 | Flammability: 0 | Instability: 0 | Physical & Chemical Properties: |
|------|-------------------|-----------------|---------------------|---------------------------------|
| HMIS | Health Hazards: 2 | Flammability: 0 | Physical hazards: 0 | Personal protection: X |

Legend:

Severe: 4; Serious: 3; Moderate: 2; Slight: 1; Minimal: 0

DISCLAIMER:

To the best of our knowledge, information contained herein is accurate. However, there is no assumption of liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazard, which exists. The information contained in this SDS was obtained from current and reliable sources; however, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions or handling, storage and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty, expressed or inferred, regarding the product described in this SDS shall be created or inferred by any statement in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product, which may not be covered by this SDS. The user is responsible for full compliance.

Product Name: SLIME-X
Product Number: 3900
Revision Date: 5/16/2016
Product Number: 3900
Product Number: 5/16/2016
Page 5 of 5