

Fair Lawn, NJ 07410 Tel: (201) 796-7100

Material Safety Data Sheet Revision Date 03-Feb-2011

Creation Date 30-Sep-2009

Revision Number 2

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name GRAM SAFRANIN 250ml BOTTLE Cat No. R40058 **Synonyms** No information available. **Recommended Use** Laboratory chemicals Company **Emergency Telephone Number** Chemtrec US: (800) 424-9300 **Fisher Scientific** Chemtrec EU: 001 (202) 483-7616 One Reagent Lane

2. HAZARDS IDENTIFICATION

WARNING!				
Emergency Overview Flammable Liquid. Vapors may cause drowsiness and dizziness. May cause central nervous system effects. May cause eye, skin, and respiratory tract irritation .				
Appearance Red	Physical State Liquid	odor No information available		
Target Organs	Blood, Reproductive System, Central nervous system Skin, Optic nerve	m (CNS), Eyes, Respiratory system, Liver,		
Potential Health Effects				
Acute Effects Principle Routes of Exposure				
Eyes Skin Inhalation Ingestion	May cause irritation May cause irritation Vapor harmful. Poison, may be fatal or cause blindness if swallowed	d. Cannot be made non-poisonous.		
Chronic Effects	None known			
See Section 11 for additional Toxicolo	ogical information.			
Aggravated Medical Conditions	Central nervous system disorders. Preexisting eye c	disorders. Liver disorders. Skin disorders.		

3. COMPOSITION/INFORMATION ON INGREDIENTS

Haz/Non-haz

Component	CAS-No	Weight %
Ethyl alcohol	64-17-5	10
Methyl alcohol	67-56-1	< 1
Phenazinium, 3,7-diamino-2,8-dimethyl-5-phenyl-, chloride	477-73-6	< 1

4. FIRST AID MEASURES

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes
Inhalation	Move to fresh air
Ingestion	Do not induce vomiting
Notes to Physician	Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Flash Point	48.9°C / 120°F
Method	No information available.
Autoignition Temperature	No information available.
Explosion Limits Upper	No data available
Lower	No data available
Unsuitable Extinguishing Media	No information available.
Hazardous Combustion Products	No information available.
Sensitivity to mechanical impact Sensitivity to static discharge	No information available. No information available.

Specific Hazards Arising from the Chemical

Keep product and empty container away from heat and sources of ignition

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

NFPA	Health 1	Flammability 2	Instability 0	Physical hazards N/A	
	6. A	CCIDENTAL RELEAS	E MEASURES		
Personal Precautions	Ensu	re adequate ventilation			
Environmental Precaution	ons Shou	Should not be released into the environment			
Methods for Containmer Up	nt and Clean No ir	formation available			

7. HANDLING AND STORAGE

Handling

Ensure adequate ventilation

Storage

Keep containers tightly closed in a dry, cool and well-ventilated place

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Measures

Ensure adequate ventilation, especially in confined areas

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl alcohol	TWA: 1000 ppm	(Vacated) TWA: 1900 mg/m ³ (Vacated) TWA: 1000 ppm TWA: 1900 mg/m ³ TWA: 1000 ppm	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m ³
Methyl alcohol	TWA: 200 ppm STEL: 250 ppm Skin	(Vacated) TWA: 200 ppm (Vacated) TWA: 260 mg/m ³ (Vacated) STEL: 325 mg/m ³ (Vacated) STEL: 250 ppm Skin TWA: 200 ppm TWA: 260 mg/m ³	IDLH: 6000 ppm TWA: 200 ppm TWA: 260 mg/m ³ STEL: 250 ppm STEL: 325 mg/m ³

Component	Quebec	Mexico OEL (TWA)	Ontario TWAEV
Ethyl alcohol	TWA: 1000 ppm	TWA: 1000 ppm	TWA: 1000 ppm
	TWA: 1880 mg/m ³	TWA: 1900 mg/m ³	TWA: 1900 mg/m ³
Methyl alcohol	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm
	TWA: 262 mg/m ³	TWA: 260 mg/m ³	TWA: 260 mg/m ³
	STEL: 328 mg/m ³	STEL: 250 ppm	STEL: 325 mg/m ³
	STEL: 250 ppm	STEL: 310 mg/m ³	STEL: 250 ppm
	Skin	Ũ	Skin

NIOSH IDLH: Immediately Dangerous to Life or Health

Personal Protective Equipment

Eye/face Protection

Skin and body protection Respiratory Protection Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166 Wear appropriate protective gloves and clothing to prevent skin exposure Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Appearance odor Odor Threshold pH Vapor Pressure Vapor Density Viscosity Boiling Point/Range Liquid Red No information available No information available. No information available.

9. PHYSICAL AND CHEMICAL PROPERTIES

Melting Point/Range Decomposition temperature **Flash Point Evaporation Rate Specific Gravity** Solubility log Pow

No information available. No information available. 48.9°C / 120°F No information available. No information available. No information available. No data available

10. STABILITY AND REACTIVITY

Stability	Stable under normal conditions.
Conditions to Avoid	Incompatible products
Incompatible Materials	Strong oxidizing agents
Hazardous Decomposition Products	None under normal use
Hazardous Polymerization	Hazardous polymerization does not occur
Hazardous Reactions .	None under normal processing.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ethyl alcohol	7060 mg/kg (Rat)	Not listed	20000 ppm/10H (Rat)
Methyl alcohol	5628 mg/kg (Rat)	15800 mg/kg (Rabbit)	64000 ppm (Rat)4 h 83.2 mg/L (Rat)4 h

Irr		Itic	n
	ıιa	แน	ווע

No information available.

Toxicologically Synergistic Products

No information available.

Chronic Toxicity

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

- IARC: (International Agency for Research on Cancer)
- IARC: (International Agency for Research on Cancer)
- Group 1 Carcinogenic to Humans
- Group 2A Probably Carcinogenic to Humans Group 2B Possibly Carcinogenic to Humans

Sensitization

No information available.

Mutagenic Effects	No information available.
Reproductive Effects	No information available.
Developmental Effects	No information available.
Teratogenicity	No information available.
Other Adverse Effects	The toxicological properties have not been fully investigated.
Endocrine Disruptor Information	No information available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Ethyl alcohol	Not listed	Leucidus idus: LC50 = 8.14	Photobacterium	EC50 = 9268 mg/L/48h
		mg/L/48h	phosphoreum:EC50 = 34634	EC50 = 10800 mg/L/24h
			mg/L/30 min	
			Photobacterium	
			phosphoreum:EC50 = 35470	
			mg/L/5 min	
Methyl alcohol	Not listed	Pimephales promelas: LC50	EC50 = 39000 mg/L 25 min	EC50 > 10000 mg/L 24h
-		> 10000 mg/L 96h	EC50 = 40000 mg/L 15 min	-
		-	EC50 = 43000 mg/L 5 min	

Persistence and Degradability

No information available

No information available

Bioaccumulation/Accumulation

Mobility

Component	log Pow
Ethyl alcohol	0
Methyl alcohol	-0.74

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification

Component	RCRA - U Series Wastes	RCRA - P Series Wastes
Methyl alcohol - 67-56-1	U154	-

14. TRANSPORT INFORMATION

DOT

Proper Shipping Name

Not regulated AQUEOUS ALCOHOL SOLUTION: NOT 49CFR 173.150(E)

REGULATED BY CONFORMING TO

14. TRANSPORT INFORMATION

TDG

UN-No	UN1170
Proper Shipping Name	ETHANOL SOLUTION
Hazard Class	3
Packing Group	111

ΙΑΤΑ

UN-No	UN1170
Proper Shipping Name	ETHANOL SOLUTION
Hazard Class	3
Packing Group	III

IMDG/IMO

Not regulated

15. REGULATORY INFORMATION

International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	CHINA	KECL
Ethyl alcohol	Х	Х	-	200-578- 6	-		Х	Х	Х	Х	KE- 13217 X
Methyl alcohol	Х	Х	-	200-659- 6	-		Х	Х	Х	X	KE- 23193 X
Phenazinium, 3,7-diamino-2,8- dimethyl-5-phenyl-, chloride	Х	Х	-	207-518- 8	-		Х	Х	Х	Х	KE- 09729 X

Legend:

X - Listed

E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.

F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.

N - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.

P - Indicates a commenced PMN substance

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

S - Indicates a substance that is identified in a proposed or final Significant New Use Rule

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

TSCA 12(b) Not applicable

SARA 313

Component	CAS-No	Weight %	SARA 313 - Threshold Values %
Methyl alcohol	67-56-1	< 1	1.0

SARA 311/312 Hazardous Categorization

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	Yes
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act Not applicable

Not applicable

Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Methyl alcohol	Х		-

OSHA

Not applicable

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs
Methyl alcohol	5000 lb	-

California Proposition 65

This product contains the following Proposition 65 chemicals:

Component	CAS-No	California Prop. 65	Prop 65 NSRL
Ethyl alcohol	64-17-5	Developmental	-

State Right-to-Know

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Ethyl alcohol	Х	Х	Х	-	Х
Methyl alcohol	Х	Х	Х	Х	Х

U.S. Department of Transportation

Reportable Quantity (RQ):	Y
DOT Marine Pollutant	Ν
DOT Severe Marine Pollutant	Ν

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade

Moderate risk, Grade 2

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class

B3 Combustible liquid D2A Very toxic materials



16. OTHER INFORMATION

Prepared By	Regulatory Affairs Remel Tel: 1-800-255-6730
Creation Date	30-Sep-2009
Print Date	03-Feb-2011
Revision Summary	No information available.

Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of MSDS