

SAFETY DATA SHEET

Creation Date 24-Nov-2010

Revision Date 24-Dec-2021

Revision Number 5

	1. Identification		
Product Name	Bromine		
Cat No. :	AC196660000; AC196660010; AC196660025; AC196660250; AC196662500		
CAS No Synonyms	7726-95-6 Bromine molecule.; Diatomic bromine; Dibromine		
Recommended Use Uses advised against	Laboratory chemicals. Food, drug, pesticide or biocidal product use.		
Details of the supplier of the safety data sheet			
<u>Company</u>			

Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Acros Organics One Reagent Lane Fair Lawn, NJ 07410

Emergency Telephone Number

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute Inhalation Toxicity - Vapors Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Category 1 Category 1 A Category 1

Label Elements

Signal Word Danger

Hazard Statements

Fatal if inhaled Causes severe skin burns and eye damage



Precautionary Statements Prevention

Do not breathe dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Wear respiratory protection

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Response

Immediately call a POISON CENTER or doctor/physician

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Ingestion

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Storage

Store in a well-ventilated place. Keep container tightly closed

Store locked up

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Very toxic to aquatic life

3.	Com	position/	Information	on	Ingredients
<u> </u>	- -			· · · ·	

Component		CAS No	Weight %	
Bromine		7726-95-6	>95	
	4. F	irst-aid measures		
General Advice	Immediate med attendance.	dical attention is required. Show this	s safety data sheet to the doctor in	
Eye Contact		Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Seek immediate medical attention/advice.		
Skin Contact		Wash off immediately with plenty of water for at least 15 minutes. Seek immediate medical attention/advice.		
Inhalation	substance; give valve or other p	Remove to fresh air. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician or poison control center immediately. If not breathing, give artificial respiration.		
Ingestion	Do NOT induce	e vomiting. Call a physician or poisc	on control center immediately.	

Most important symptoms and effects	Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation
Notes to Physician	Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media	Substance is nonflammable; use agent most appropriate to extinguish surrounding fire.
Unsuitable Extinguishing Media	No information available
Flash Point Method -	Not applicable No information available
Autoignition Temperature Explosion Limits	No information available
Upper Lower	No data available No data available
Sensitivity to Mechanical Impact	No information available
Sensitivity to Static Discharge	No information available

Specific Hazards Arising from the Chemical

Very toxic by inhalation. May be fatal if inhaled. Corrosive material. May intensify fire; oxidizer. Do not allow run-off from fire-fighting to enter drains or water courses.

Hazardous Combustion Products

Hydrogen halides. Thermal decomposition can lead to release of irritating gases and vapors.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

<u>NFPA</u>	Health 3	Flammability 0	Instability 0	Physical hazards OX
		6. Accidental rel	ease measures	
Personal	Precautions		rom and upwind of spill/leak. Er	uit. Evacuate personnel to safe nsure adequate ventilation. Do
Environm	ental Precautions	Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.		
Methods f Up	for Containment and Cl		ing apparatus and protective su closed containers for disposal.	uit. Soak up with inert absorbent

	7. Handling and storage
Handling	Use only under a chemical fume hood. Wear personal protective equipment/face protection. Do not breathe mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not ingest. If swallowed then seek immediate medical assistance.
Storage.	Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Incompatible Materials. Organic materials. Strong oxidizing agents. Ammonia. Fluorine. Metals. Reducing Agent.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Bromine	TWA: 0.1 ppm STEL: 0.2 ppm	(Vacated) TWA: 0.1 ppm (Vacated) TWA: 0.7 mg/m ³ (Vacated) STEL: 0.3 ppm (Vacated) STEL: 2 mg/m ³ TWA: 0.1 ppm TWA: 0.7 mg/m ³	IDLH: 3 ppm TWA: 0.1 ppm TWA: 0.7 mg/m ³ STEL: 0.3 ppm STEL: 2 mg/m ³	TWA: 0.1 ppm STEL: 0.2 ppm

<u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures	Use only under a chemical fume hood. Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.	
Personal Protective Equipment		
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.	
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.	
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.	
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.	

0 Dhysical	and	chomical	properties
9. Physical	and	cnemical	properties

Physical State	Liquid
Appearance	Red brown
Odor	Strong
Odor Threshold	No information available
pH	No information available
Melting Point/Range	-7.2 °C / 19 °F
Boiling Point/Range	58.7 °C / 137.7 °F
Flash Point	Not applicable
Evaporation Rate	No information available
Flammability (solid,gas)	Not applicable
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	230 mbar @ 20 °C
Vapor Density	5.51 (Air = 1.0)
Specific Gravity	3.111
Solubility	No information available
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	No information available
Decomposition Temperature	No information available
Viscosity	0.314 cs at 25 °C
Molecular Formula	Br2
Molecular Weight	159.82

10. Stability and reactivity			
Reactive Hazard	None known, based on information available		
Stability	Stable under normal conditions. May intensify fire; oxidizer.		
Conditions to Avoid	Incompatible products. Excess heat.		
Incompatible Materials	Organic materials, Strong oxidizing agents, Ammonia, Fluorine, Metals, Reducing Agent		
Hazardous Decomposition Product	s Hydrogen halides, Thermal decomposition can lead to release of irritating gases and vapors		
Hazardous Polymerization	Hazardous polymerization does not occur.		
Hazardous Reactions	None under normal processing.		

11. Toxicological information

Acute Toxicity

Product Information

Component Information						
Component	LD50 Oral	LD50 Dermal	LC50 Inhalation			
Bromine	LD50 = 2600 mg/kg (Rat)	Not listed	LC50 = 2.7 mg/L (Rat, 4hrs)			
Toxicologically Synergistic Products Delayed and immediate effects	No information available	hort and long-term expos	sure_			
Irritation	Causes severe burns by all ex	xposure routes				
Sensitization	No information available					
Carcinogenicity	The table below indicates whe	The table below indicates whether each agency has listed any ingredient as a carcinogen				

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico		
Bromine	7726-95-6	Not listed	Not listed	Not listed	Not listed	Not listed		
Mutagenic Effects		No information ava	ailable					
Reproductive Effect	s	No information available.						
Developmental Effects No information available.								
Teratogenicity No information available.								
U 1	STOT - single exposureNone knownSTOT - repeated exposureNone known							
Aspiration hazard		No information ava	ailable					
Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion cause severe swelling, severe damage to the delicate tissue and danger of perforation						gestion causes		
Endocrine Disrupto	r Information	No information available						
Other Adverse Effect	cts	The toxicological properties have not been fully investigated.						
	12. Ecological information							

Ecotoxicity

Very toxic to aquatic organisms. The product contains following substances which are hazardous for the environment.

Persistence and Degradability	Persistence is unlikely based on information available.

Bioaccumulation/ Accumulation No information available.

Mobility

Will likely be mobile in the environment due to its volatility.

Component	log Pow
Bromine	1.03

	13. Disposal considerations
Waste Disposal Methods	Chemical waste generators must determine whether a discarded chemical is classified as a

hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

	14. Transport information		
DOT			
UN-No	UN1744		
Proper Shipping Name	BROMINE		
Hazard Class	8		
Subsidiary Hazard Class	6.1		
Packing Group			
TDG			
UN-No	UN1744		
Proper Shipping Name	BROMINE		
Hazard Class	8		
Subsidiary Hazard Class	6.1		
Packing Group			
UN-No	UN1744		
Proper Shipping Name	BROMINE FORBIDDEN FOR IATA TRANSPORT		
Hazard Class	8		
Subsidiary Hazard Class	6.1		
Packing Group			
IMDG/IMO			
UN-No	UN1744		
Proper Shipping Name	BROMINE		
Hazard Class	8		
Subsidiary Hazard Class	6.1		
Packing Group			
15. Regulatory information			

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Bromine	7726-95-6	Х	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710) X - Listed '-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea

Bromine

(KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Bromine	7726-95-6	Х	-	231-778-1	Х	Х		Х	Х	KE-03605

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313

Component	CAS No	Weight %	SARA 313 - Threshold Values %
Bromine	7726-95-6	>95	1.0

SARA 311/312 Hazard Categories See section 2 for more information

Not applicable

CWA (Clean Water Act)	Not applicable
-----------------------	----------------

Clean Air Act

OSHA - Occupational Safety and Health Administration

	Component	Specifically Regulated Chemicals	Highly Hazardous Chemicals		
	Bromine	-	TQ: 1500 lb		
CERCLA	substance	This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liabilit Act (CERCLA) (40 CFR 302)			

Component	Hazardous Substances RQs	CERCLA EHS RQs
Bromine	-	500 lb

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Bromine	Х	Х	Х	-	Х

U.S. Department of Transportation	
Reportable Quantity (RQ):	Ν
DOT Marine Pollutant	Ν
DOT Severe Marine Pollutant	Ν

U.S. Department of Homeland Security

This product contains the following DHS chemicals: **Legend** - STQs = Screening Threshold Quantities, APA = A placarded amount

DHS Chemical Facility Anti-Terrorism Standard		
Release STQs - 10000lb		

Other International Regulations

Mexico - Grade

No information available

Authorisation/Restrictions according to EU REACH

Component		REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	
Bromine	_	Use restricted. See item 75.	_

(see link for restriction details)	

https://echa.europa.eu/substances-restricted-under-reach

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Bromine	7726-95-6	Listed	Not applicable	Not applicable	Not applicable
Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Bromine	7726-95-6	20 tonne	100 tonne	Not applicable	Not applicable

16. Other information

Prepared By

Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com

Creation Date Revision Date Print Date Revision Summary 24-Nov-2010 24-Dec-2021 24-Dec-2021 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS