

SAFETY DATA SHEET

Creation Date 28-May-2014 Revision Date 24-May-2017 Revision Number 2

1. Identification

Product Name Aluminum Chloride Hexahydrate (USP)

Cat No. : A576-212; A576-500

Synonyms Aluminum (III) chloride hexahydrate.; Trichloroaluminum hexahydrate

Recommended Use Laboratory chemicals.

Uses advised against Not for food, drug, pesticide or biocidal product use

Details of the supplier of the safety data sheet

Company

Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Emergency Telephone Number

CHEMTREC®, Inside the USA: 800-424-9300 CHEMTREC®, Outside the USA: 001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin Corrosion/irritation Category 2
Serious Eye Damage/Eye Irritation Category 2

Label Elements

Signal Word

Warning

Hazard Statements

Causes skin irritation
Causes serious eye irritation



Precautionary Statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

Skin

IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash before reuse

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Hazards not otherwise classified (HNOC)

Other hazards

Water reactive.

3. Composition / information on ingredients

Component		CAS-No	Weight %
ſ	Aluminium Chloride hexahydrate	7784-13-6	100
ſ	Aluminum chloride	7446-70-0	-

4. First-aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Obtain medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Get medical attention if

symptoms occur.

Inhalation Move to fresh air. If breathing is difficult, give oxygen. Get medical attention if symptoms

occur.

Ingestion Do not induce vomiting. Obtain medical attention.

Most important symptoms/effects

Notes to Physician

No information available. Treat symptomatically

No information available

5. Fire-fighting measures

Suitable Extinguishing Media Substance is nonflammable; use agent most appropriate to extinguish surrounding fire.

Unsuitable Extinguishing Media DO NOT USE WATER

Flash Point No information available Method - No information available

Autoignition Temperature

Explosion Limits

Upper No data available
Lower No data available

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Water reactive. Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes.

Hazardous Combustion Products

Hydrogen chloride gas Carbon monoxide (CO) Carbon dioxide (CO₂)

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full

Revision Date 24-May-2017

protective gear.

NFPA

HealthFlammabilityInstabilityPhysical hazards201N/A

6. Accidental release measures

Personal Precautions Use personal protective equipment. Ensure adequate ventilation. Avoid dust formation.

Avoid contact with skin, eyes and clothing.

Environmental Precautions Avoid release to the environment.

Methods for Containment and Clean Do not expose spill to water. Sweep up or vacuum up spillage and collect in suitable

Up container for disposal. Avoid dust formation.

7. Handling and storage

Handling Wear personal protective equipment. Ensure adequate ventilation. Avoid dust formation.

Avoid contact with skin, eyes and clothing. Avoid ingestion and inhalation. Contents may

develop pressure upon prolonged storage.

Storage Keep containers tightly closed in a dry, cool and well-ventilated place.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Aluminium Chloride		(Vacated) TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 2 mg/m ³
hexahydrate				
Aluminum chloride		(Vacated) TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 2 mg/m ³

Legend

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

Engineering Measures Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations

and safety showers are close to the workstation location.

Personal Protective Equipment

Eye/face Protection Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if

exposure limits are exceeded or if irritation or other symptoms are experienced.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical State Solid
Appearance White
Odor pungent

Odor Threshold No information available

pH 2.0 Acidic

Aluminum Chloride Hexahydrate (USP)

Melting Point/Range181 °C / 357.8 °FBoiling Point/RangeNo information availableFlash PointNo information availableEvaporation RateNo information availableFlammability (solid,gas)No information available

Flammability or explosive limits

Upper
LowerNo data available
No data availableVapor PressureNo information availableVapor DensityNo information available

Specific Gravity 2.39

Solubility
Partition coefficient; n-octanol/water
Autoignition Temperature
Decomposition Temperature
Viscosity
No information available
No information available
No information available

Molecular FormulaAICI3.6H2OMolecular Weight241.43

10. Stability and reactivity

Reactive Hazard Yes

Stability Stable under normal conditions. Water reactive. Moisture sensitive.

Conditions to Avoid Avoid dust formation. Incompatible products. Excess heat. Exposure to moist air or water.

Incompatible Materials Strong acids, Water

Hazardous Decomposition Products Hydrogen chloride gas, Carbon monoxide (CO₂), Carbon dioxide (CO₂)

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information Component Information

 Component
 LD50 Oral
 LD50 Dermal
 LC50 Inhalation

 Aluminium Chloride hexahydrate
 3311 mg/kg (Rat)
 Not listed
 Not listed

 Aluminum chloride
 LD50 = 380 mg/kg (Rat)
 LD50 > 2 g/kg (Rabbit)
 Not listed

Toxicologically Synergistic No information available

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

IrritationIrritating to eyes and skinSensitizationNo information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Aluminium Chloride	7784-13-6	Not listed				
hexahydrate						
Aluminum chloride	7446-70-0	Not listed				

Mutagenic Effects No information available

Revision Date 24-May-2017

Reproductive Effects No information available.

Developmental Effects No information available.

Teratogenicity No information available.

None known STOT - single exposure STOT - repeated exposure None known

No information available **Aspiration hazard**

Symptoms / effects,both acute and No information available

delayed

Endocrine Disruptor Information No information available

The toxicological properties have not been fully investigated. See actual entry in RTECS for Other Adverse Effects

complete information.

12. Ecological information

Ecotoxicity

Do not empty into drains.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Aluminum chloride	Not listed	Gambusia affinis:	Not listed	EC50: 3.9 mg/L 48h
		LC50=27.1 mg/L 97h		EC50: 27.3 mg/L 48h

Persistence and Degradability No information available

No information available. **Bioaccumulation/ Accumulation**

Mobility No information available.

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

	14. Transport information			
DOT Not regulated				
TDG Not regulated				
DOTNot regulatedTDGNot regulatedIATANot regulated				
IMDG/IMO Not regulated				
	15. Regulatory information			

International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Aluminium Chloride	-	-	-	-	-		Х	-	Χ	Х	-
hexahydrate											
Aluminum chloride	Х	Х	-	231-208-1	-		Х	Χ	Χ	Х	Χ

Legend:

X - Listed

- E Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.
- F Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- N Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- P Indicates a commenced PMN substance
- R Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- S Indicates a substance that is identified in a proposed or final Significant New Use Rule

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

TSCA 12(b) Not applicable

SARA 313 Not applicable

SARA 311/312 Hazard Categories

Acute Health Hazard

Chronic Health Hazard

Fire Hazard

Sudden Release of Pressure Hazard

No
Reactive Hazard

Yes

No
Yes

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

OSHA Occupational Safety and Health Administration

Not applicable

CERCLA

Not applicable

California Proposition 65 This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know

Regulations

rtogalationo					
Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Aluminium Chloride	-	-	X	-	-
hexahydrate					
Aluminum chloride	X	X	X	-	X

U.S. Department of Transportation

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Component	DHS Chemical Facility Anti-Terrorism Standard
Aluminum chloride	2000 lb STQ

Other International Regulations

Mexico - Grade No information available

16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

Creation Date 28-May-2014

 Revision Date
 24-May-2017

 Print Date
 24-May-2017

Revision Summary This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS