

# SAFETY DATA SHEET

Creation Date 22-Sep-2009

Revision Date 22-May-2017

Revision Number 5

# 1. Identification

**Product Name** 

Butyraldehyde

Cat No. :

AC108090000; AC108090010; AC108090025; AC108091000

Synonyms

Butanal

Recommended Use Uses advised against Laboratory chemicals. Not for food, drug, pesticide or biocidal product use

Details of the supplier of the safety data sheet

### **Company**

Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100 Acros Organics One Reagent Lane Fair Lawn, NJ 07410

# **Emergency Telephone Number**

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

# 2. Hazard(s) identification

# **Classification**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids Serious Eye Damage/Eye Irritation

Category 2 Category 2

# Label Elements

Signal Word Danger

# **Hazard Statements**

Highly flammable liquid and vapor Causes serious eye irritation



Precautionary Statements Prevention

# Butyraldehyde

Wash face, hands and any exposed skin thoroughly after handling Keep away from heat/sparks/open flames/hot surfaces. - No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof electrical/ventilating/lighting/equipment Use only non-sparking tools Take precautionary measures against static discharge Wear protective gloves/protective clothing/eye protection/face protection Skin IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower Eyes IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention Fire In case of fire: Use CO2, dry chemical, or foam for extinction Storage Store in a well-ventilated place. Keep cool Disposal Dispose of contents/container to an approved waste disposal plant Hazards not otherwise classified (HNOC)

None identified

# 3. Composition / information on ingredients

Component	CAS-No	Weight %
Butyraldehyde	123-72-8	>95

4. First-aid measures					
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention.				
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Obtain medical attention.				
Inhalation	Move to fresh air. If breathing is difficult, give oxygen. Obtain medical attention.				
Ingestion	Do not induce vomiting. Obtain medical attention.				
Most important symptoms/effects	Breathing difficulties Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting				
Notes to Physician	Treat symptomatically				
	5. Fire-fighting measures				
Suitable Extinguishing Media	Water spray. Carbon dioxide (CO 2). Dry chemical. Chemical foam. Cool closed containers exposed to fire with water spray.				
Unsuitable Extinguishing Media	No information available				
Flash Point	-12 °C / 10.4 °F				
Method -	No information available				
Autoignition Temperature	190 °C / 374 °F				
Explosion Limits Upper Lower	11.1% 1.7%				

NFPA

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

# **Specific Hazards Arising from the Chemical**

Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Extremely flammable.

# **Hazardous Combustion Products**

Carbon monoxide (CO) Carbon dioxide (CO<sub>2</sub>)

# **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Health 2	Flammability 3	Instability 0	Physical hazards N/A
	6. Accidental re	lease measures	
Personal Precautions	Remove all sources of ign Use personal protective e	ition. Take precautionary measu	ures against static discharges.
Environmental Precautions	See Section 12 for additio sanitary sewer system.	nal ecological information. Do n	ot flush into surface water or
Methods for Containment and Cle Up	sawdust). Keep in suitable		I. Remove all sources of ignition.
	<b>U</b>	and storage	
Handling	measures against static d tools. Keep away from op	ischarges. Use explosion-proof en flames, hot surfaces and sou	or spray mist. Take precautionary equipment. Use only non-sparking irces of ignition. To avoid ignition the equipment must be grounded.
Storage	from heat and sources of tightly closed in a dry and liquid, peroxidation may h	well-ventilated place. Should cr ave occurred and the product sh	o under nitrogen. Keep container ystals form in a peroxidizable
8. E	Exposure controls	/ personal protection	on
Exposure Guidelines		tain any hazardous materials w gion specific regulatory bodies.	
Engineering Measures		on, especially in confined areas ose to the workstation location. ig/equipment.	
Personal Protective Equipment			
Eye/face Protection		ve eyeglasses or chemical safet rection regulations in 29 CFR 19	
Skin and body protection	Wear appropriate protectiv	ve gloves and clothing to prever	nt skin exposure.

Respiratory Protection	Wear a NIOSH/MSHA or European Standard EN 149 approved full-facepiece airline respirator in the positive pressure mode with emergency escape provisions.					
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.					
9	Physical and chemical properties					
Physical State	Liquid					
Appearance	Colorless					
Odor	Stench					
Odor Threshold	No information available					
рН	6-7 (@ 20 ) 71 g/L (20°C)					
Melting Point/Range	-96 °C / -140.8 °F					
Boiling Point/Range	75 °C / 167 °F @ 760 mmHg					
Flash Point	-12 °C / 10.4 °F					
Evaporation Rate	No information available					
Flammability (solid,gas)	Not applicable					
Flammability or explosive limits						
Upper	11.1%					
Lower	1.7%					
Vapor Pressure	91.5 mmHg @ 20 °C					
Vapor Density	No information available					
Specific Gravity	0.817					
Solubility	7.1% (25°C)					
Partition coefficient; n-octanol/wate	n No data available					
Autoignition Temperature	190 °C / 374 °F					
Decomposition Temperature	No information available					
Viscosity	0.43 mPa.s at 20 °C					
Molecular Formula	C4 H8 O					
Molecular Weight	72.11					
	10. Stability and reactivity					

Reactive Hazard	None known, based on information available
Stability	May form explosive peroxides. Air sensitive.
Conditions to Avoid	Keep away from open flames, hot surfaces and sources of ignition. Exposure to air. Exposure to light. Incompatible products.
Incompatible Materials	Strong oxidizing agents, Strong acids, Strong bases, Strong reducing agents
Hazardous Decomposition Product	<b>s</b> Carbon monoxide (CO), Carbon dioxide (CO <sub>2</sub> )
Hazardous Polymerization	Hazardous polymerization may occur.
Hazardous Reactions	None under normal processing.

11. Toxicological information

# Acute Toxicity

# Product Information Component Information Component LD50 Oral LD50 Dermal LC50 Inhalation Butyraldehyde LD50 > 5g/kg 49 mg/L 4 h (Rat) Toxicologically Synergistic No information available Products Delayed and immediate effects as well as chronic effects from short and long-term exposure Irritation Irritation Irritating to eyes Irritating to eyes

Sensitization		No information available						
Carcinogenicity		The table below indicates whether each agency has listed any ingredient as a carcinog						
Component	CAS-No	IARC NTP ACGIH OSHA Mexico						
Butyraldehyde	123-72-8	Not listed Not listed Not listed N						
Mutagenic Effects		Not mutagenic in A	MES Test					
Reproductive Effect	ts	No information ava	ilable.					
Developmental Effe	cts	No information ava	ailable.					
Teratogenicity		No information available.						
STOT - single expos STOT - repeated exp		None known None known						
Aspiration hazard		No information available						
Symptoms / effects delayed	,both acute and	Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting						
Endocrine Disrupto	r Information	No information ava	ilable					
Other Adverse Effect	cts	The toxicological p	roperties have not	been fully investig	ated.			

# 12. Ecological information

# Ecotoxicity

Mobility

Do not empty into drains. Contains a substance which is:. Harmful to aquatic organisms. The product contains following substances which are hazardous for the environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Butyraldehyde	Not listed	LC50: = 25.8 mg/L, 96h semi-static (Pimephales promelas) LC50: = 14.7 mg/L, 96h static (Pimephales promelas) LC50: 13.0 - 13.8 mg/L, 96h flow-through (Pimephales promelas)	Not listed	EC50: = 195 mg/L, 24h (Daphnia magna)

Persistence and Degradability

Persistence is unlikely based on information available.

# **Bioaccumulation/ Accumulation**

Will likely be mobile in the environment due to its volatility.

No information available.

Component	log Pow
Butyraldehyde	0.79

# 13. Disposal considerations

Waste Disposal MethodsChemical waste generators must determine whether a discarded chemical is classified as a<br/>hazardous waste. Chemical waste generators must also consult local, regional, and<br/>national hazardous waste regulations to ensure complete and accurate classification.

	14. Transport information
DOT	
UN-No	UN1129

Proper Shipping Name Hazard Class Packing Group TDG	BUTYRALDEHYDE 3 II
UN-No	UN1129
Proper Shipping Name	BUTYRALDEHYDE
Hazard Class	3
Packing Group	II
UN-No	UN1129
Proper Shipping Name	BUTYRALDEHYDE
Hazard Class	3
Packing Group	II
IMDG/IMO	
UN-No	UN1129
Proper Shipping Name	BUTYRALDEHYDE
Hazard Class	3
Packing Group	
	15. Regulatory information

All of the components in the product are on the following Inventory lists: X = listed

### International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Butyraldehyde	Х	Х	-	204-646-6	-		Х	Х	Х	Х	Х

Legend: X - Listed

E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.

F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.

N - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated

polymer made with any free-radical initiator regardless of the amount used.

P - Indicates a commenced PMN substance

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

S - Indicates a substance that is identified in a proposed or final Significant New Use Rule

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

### U.S. Federal Regulations

### TSCA 12(b)

Not applicable

### SARA 313

•	_	Values %
Butyraldehyde 123	-72-8 >95	1.0

SARA 311/312 Hazard Categories Acute Health Hazard Chronic Health Hazard Fire Hazard Sudden Release of Pressure Hazard Reactive Hazard		Yes No No No
CWA (Clean Water Act)	Not applicable	
Clean Air Act	Not applicable	

**OSHA** Occupational Safety and Health Administration Not applicable

CERCLA Not applicable

# **California Proposition 65**

This product does not contain any Proposition 65 chemicals

### U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Butyraldehyde	Х	Х	Х	-	Х

### **U.S. Department of Transportation**

Reportable Quantity (RQ):	Ν
DOT Marine Pollutant	Ν
DOT Severe Marine Pollutant	Ν

# **U.S. Department of Homeland Security**

This product does not contain any DHS chemicals.

# Other International Regulations

Mexico - Grade	Serious risk, Grade 3		
	16. Other information		
Prepared By	Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com		
Creation Date Revision Date Print Date Revision Summary	22-Sep-2009 22-May-2017 22-May-2017 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).		

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# End of SDS