

# **SAFETY DATA SHEET**

Creation Date 22-Sep-2009 Revision Date 19-Jan-2018 Revision Number 4

1. Identification

Product Name Biphenyl

Cat No.: AC106250000; AC106250010; AC106250050; AC106252500

CAS-No 92-52-4 Synonyms Diphenyl

Recommended Use Laboratory chemicals.

Uses advised against Not for food, drug, pesticide or biocidal product use

Details of the supplier of the safety data sheet

Company

Fisher Scientific Acros Organics
One Reagent Lane One Reagent Lane
Fair Lawn, NJ 07410 Fair Lawn, NJ 07410

Tel: (201) 796-7100

**Emergency Telephone Number** 

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

# 2. Hazard(s) identification

# Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin Corrosion/irritationCategory 2Serious Eye Damage/Eye IrritationCategory 2Specific target organ toxicity (single exposure)Category 3

Target Organs - Respiratory system.

# Label Elements

# Signal Word

Warning

# **Hazard Statements**

Causes skin irritation Causes serious eye irritation May cause respiratory irritation

Revision Date 19-Jan-2018 **Biphenyl** 



# **Precautionary Statements**

### Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Avoid breathing dust/fume/gas/mist/vapors/spray

### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell

### Skin

IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse

Use only outdoors or in a well-ventilated area

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

### Storage

Store in a well-ventilated place. Keep container tightly closed

Store locked up

### **Disposal**

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

Very toxic to aquatic life with long lasting effects

# 3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Biphenyl	92-52-4	>95

# 4. First-aid measures

**General Advice** If symptoms persist, call a physician.

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

Move to fresh air. If breathing is difficult, give oxygen. Get medical attention if symptoms Inhalation

occur.

Clean mouth with water and drink afterwards plenty of water. Get medical attention if Ingestion

symptoms occur.

Most important symptoms and

None reasonably foreseeable.

**Notes to Physician** 

Treat symptomatically

# 5. Fire-fighting measures

Suitable Extinguishing Media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable Extinguishing Media No information available

**Flash Point** 113 °C / 235.4 °F

Method - No information available

Autoignition Temperature 540 °C / 1004 °F

**Explosion Limits** 

**Upper** 5.8% **Lower** 0.6%

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

### Specific Hazards Arising from the Chemical

Do not allow run-off from fire fighting to enter drains or water courses.

### **Hazardous Combustion Products**

Carbon monoxide (CO) Carbon dioxide (CO2)

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health	Flammability	Instability	Physical hazards
2	0	0	N/A

# 6. Accidental release measures

Personal Precautions
Environmental Precautions

Ensure adequate ventilation. Use personal protective equipment. Avoid dust formation. Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

**Methods for Containment and Clean** Sweep up or vacuum up spillage and collect in suitable container for disposal. Keep in suitable, closed containers for disposal.

_	1 1 2 2					
/	нar	าดแ	മ	าลทด	$\sim$ TO	rage
/ .	ı ıaı	IUII	ıu	ana	-	1 auc

**Handling** Ensure adequate ventilation. Wear personal protective equipment. Avoid dust formation.

Avoid ingestion and inhalation. Do not get in eyes, on skin, or on clothing.

Storage Keep in a dry, cool and well-ventilated place. Keep container tightly closed.

# 8. Exposure controls / personal protection

# **Exposure Guidelines**

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Biphenyl	TWA: 0.2 ppm	(Vacated) TWA: 0.2 ppm	IDLH: 100 mg/m <sup>3</sup>	TWA: 0.2 ppm
		(Vacated) TWA: 1 mg/m <sup>3</sup>	TWA: 0.2 ppm	TWA: 1.5 mg/m <sup>3</sup>
		TWA: 0.2 ppm	TWA: 1 mg/m <sup>3</sup>	STEL: 0.6 ppm
		TWA: 1 mg/m <sup>3</sup>	_	STEL: 4 mg/m <sup>3</sup>

# Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

**Engineering Measures** Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations

and safety showers are close to the workstation location.

Personal Protective Equipment

**Eve/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

**Skin and body protection** Long sleeved clothing.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

# 9. Physical and chemical properties

Physical State Solid
Appearance Off-white
Odor sweet

Odor Threshold

No information available

H No information available

Melting Point/Range 68 - 72 °C / 154.4 - 161.6 °F

Boiling Point/Range255 °C / 491 °FFlash Point113 °C / 235.4 °FEvaporation RateNot applicable

Flammability (solid,gas) No information available

Flammability or explosive limits

 Upper
 5.8%

 Lower
 0.6%

Vapor Pressure 9.46 mmHg @ 115 °C

Vapor Density Not applicable

Specific Gravity 0.991

Solubility
Partition coefficient; n-octanol/water
Autoignition Temperature
Decomposition Temperature
No data available
540 °C / 1004 °F
No information available

ViscosityNot applicableMolecular FormulaC12 H10

Molecular Weight C12 F1

Molecular Weight 154.21

# 10. Stability and reactivity

Reactive Hazard None known, based on information available

**Stability** Stable under normal conditions.

Conditions to Avoid Incompatible products.

Incompatible Materials Strong oxidizing agents

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2)

**Hazardous Polymerization** Hazardous polymerization does not occur.

**Hazardous Reactions**None under normal processing.

# 11. Toxicological information

### **Acute Toxicity**

### Product Information

**Component Information** 

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Biphenyl	2140 mg/kg ( Rat )	5010 mg/kg (Rabbit)	Not listed

**Toxicologically Synergistic** 

No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Irritating to eyes, respiratory system and skin

**Sensitization** No information available

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Biphenyl	92-52-4	Not listed				

Mutagenic Effects No information available

**Reproductive Effects** No information available.

**Developmental Effects** No information available.

**Teratogenicity** No information available.

STOT - single exposure Respiratory system

STOT - repeated exposure None known

Aspiration hazard No information available

Symptoms / effects,both acute and No information available

delayed

### **Endocrine Disruptor Information**

Component	EU - Endocrine Disrupters	EU - Endocrine Disruptors -	Japan - Endocrine Disruptor	
	Candidate List	Evaluated Substances	Information	
Biphenyl	Group III Chemical	Not applicable	Not applicable	

Other Adverse Effects The toxicological properties have not been fully investigated.

# 12. Ecological information

### **Ecotoxicity**

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Biphenyl	EC50: = 1.28 mg/L, 3h	LC50: 1.17 - 1.81 mg/L, 96h	EC50 = 1.89 mg/L 30 min	EC50: 0.63 - 0.85 mg/L, 48h
	(Chlamydomonas angulosa)	static (Pimephales	EC50 = 3.20 mg/L 5 min	Static (Daphnia magna)
	,	promelas)	EC50 = 3.30 mg/L 15 min	, , ,
		LC50: 1.4 - 1.6 mg/L, 96h	_	
		static (Oncorhynchus		
		mykiss)		
		LC50: 4.3 - 5.1 mg/L, 96h		
		static (Lepomis macrochirus)		
		LC50: 1.65 - 2.29 mg/L, 96h		
		flow-through (Pimephales		
		promelas)		

Persistence and Degradability Insoluble in water May persist

**Bioaccumulation/ Accumulation**No information available.

**Mobility** . Is not likely mobile in the environment due its low water solubility.

Component	log Pow
Biphenyl	4

# 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

# 14. Transport information

DOT

UN-No UN3077

Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

Proper technical name
Hazard Class
9
Packing Group
III

**TDG** 

UN-No UN3077

Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

Hazard Class 9
Packing Group III

IATA

UN-No UN3077

Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

Hazard Class 9
Packing Group III

IMDG/IMO

UN-No UN3077

Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

Hazard Class 9
Packing Group III

# 15. Regulatory information

All of the components in the product are on the following Inventory lists: X = listed

### **International Inventories**

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Biphenyl	Х	Х	-	202-163-5	-		Х	Χ	Χ	Χ	Х

### Legend:

- X Listed
- E Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.
- F Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- N Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- P Indicates a commenced PMN substance
- R Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- S Indicates a substance that is identified in a proposed or final Significant New Use Rule
- T Indicates a substance that is the subject of a Section 4 test rule under TSCA.
- XU Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).
- Y1 Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.
- Y2 Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

### U.S. Federal Regulations

### **TSCA 12(b)**

### **SARA 313**

Component	CAS-No	Weight %	SARA 313 - Threshold Values %
Biphenyl	92-52-4	>95	1.0

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act) Not applicable

### Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Biphenyl	X		-

**OSHA** Occupational Safety and Health Administration

Not applicable

CERCLA This material, as supplied, contains one or more substances regulated as a hazardous

substance under the Comprehensive Environmental Response Compensation and Liability

Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs
Biphenyl	100 lb	-

**California Proposition 65** 

This product does not contain any Proposition 65 chemicals

### U.S. State Right-to-Know

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island	
Biphenyl	X	X	X	X	X	

### **U.S. Department of Transportation**

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

### **U.S. Department of Homeland Security**

This product does not contain any DHS chemicals.

# Other International Regulations

Mexico - Grade No information available

16	Other	inform	nation
	( )   I   C	11111111	16111111

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 22-Sep-2009

 Revision Date
 19-Jan-2018

 Print Date
 19-Jan-2018

Revision Summary

This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the

date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**