



Acetone Safety Data Sheet (SDS)

SECTION 1 — CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Acetone

Signal Word DANGER

Flinn Scientific, Inc. P.O. Box 219, Batavia, IL 60510 (800) 452-1261

Chemtrec Emergency Phone Number: (800) 424-9344

Pictograms

SECTION 2 — HAZARDS IDENTIFICATION

Hazard class: Flammable liquids (Category 2). Highly flammable liquid and vapor (H225). Keep away from heat, sparks, open flames, and hot surfaces. No smoking (P210).



Hazard class: Eye irritation (Category 2A). Causes serious eye irritation (H319).

Hazard class: Specific target organ toxicity, single exposure; Narcotic effects (Category 3). May cause drowsiness or dizziness (H336). Avoid breathing mist, vapors or spray (P261).

SECTION 3 — COMPOSITION, INFORMATION ON INGREDIENTS

| (| Component Name | | CAS Number | Formula | Formula Weight | Concentration |
|---|---|---|---------------|-----------------------------------|-------------------|---------------|
| | Acetone (/ link/1ca5e40655464ff8b4757afd38493c53.aspx) | Buy Now (/ link/1ca5e40655464ff8b4757afd38493c53.aspx) | 67-64-1 | CH ₃ COCH ₃ | 58.08 | |
| S | iynonyms: Dimethyl ketone, 2-Propanone | | | | | |

SECTION 4 — FIRST AID MEASURES

Call a POISON CENTER or physician if you feel unwell (P312).

If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing (P304+P340).

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so. Continue rinsing (P305+P351+P338). If eye irritation persists eyes: Get medical advice or attention (P337+P313).

If on skin: Wash with plenty of water.

If swallowed: Rinse mouth. Call a POISON CENTER or physician if you feel unwell.

SECTION 5 — FIRE FIGHTING MEASURES

NFPA Code Class IB flammable liquid. A dangerous fire hazard from heat, flame or strong oxidizers. H-1 Flash point: -17 °C (CC) Flammable limits: Upper 12.8% Lower 2.6% Autoignition temperature: 465 °C F-3 When heated to decomposition, may emit toxic fumes

In case of fire: Use a tri-class dry chemical fire extinguisher (P370+P378).

R-0

SECTION 6 — ACCIDENTAL RELEASE MEASURES

Remove all ignition sources and ventilate area. Contain the spill with sand or other inert absorbent material and deposit in a sealed bag or container. See Sections 8 and 13 for further information.

SECTION 7 — HANDLING AND STORAGE

Flinn Suggested Chemical Storage Pattern: Organic #4. Store with ethers, ketones, and halogenated hydrocarbons.

Store in a dedicated flammables cabinet. If a flammables cabinet is not available, store in Flinn Saf-StorTM can,

Keep container tightly closed (P233). Keep cool (P235). Use only in a hood or well-ventilated area (P271). Take precautionary measures against static discharge (P243).

SECTION 8 — EXPOSURE CONTROLS, PERSONAL PROTECTION

Wear protective gloves, protective clothing, and eye protection (P280). Use latex, not nitrile gloves. Wash hands thoroughly after handling (P264). Use only in a hood or well-ventilated area (P271). Exposure guidelines: PEL 1000 ppm (OSHA); TLV 500 ppm, STEL 750 ppm (ACGIH); IDLH 2500 ppm

SECTION 9 — PHYSICAL AND CHEMICAL PROPERTIES

Boiling point: 56.5 °C Colorless liquid. Sweet pungent odor like nail polish remover Density: 0.79 Soluble: Miscible with water, alcohol and many other organic solvents.

Melting point: -94.6 °C Vapor density: 2.00

SECTION 10 — STABILITY AND REACTIVITY

Stable. Potentially explosive reaction with strong oxidizing agents and halogenated compounds. Shelf life: Good, if stored properly

SECTION 11 — TOXICOLOGICAL INFORMATION

ORL-RAT LD₅₀: 5800 mg/kg Acute effects: Eye and respiratory tract irritant, dizziness, CNS depression. IHL-RAT LC50: 50,100 mg/m3/8H Chronic effects: Dermatitis. Target organs: Liver, kidneys, CNS, respiratory system. SKN-RBT LDL₀: 20 mL/kg

SECTION 12 — ECOLOGICAL INFORMATION

Data not yet available.

SECTION 13 — DISPOSAL CONSIDERATIONS

Please review all federal, state and local regulations that may apply before proceeding.

Flinn Suggested Disposal Method #18a is one option.

SECTION 14 — TRANSPORT INFORMATION

Shipping name: Acetone. Hazard class: 3, Flammable Liquid. UN number: UN1090.

SECTION 15 — REGULATORY INFORMATION

TSCA-listed, EINECS-listed (200-662-2), RCRA code U002

SECTION 16 — OTHER INFORMATION

This Safety Data Sheet (SDS) is for guidance and is based upon information and tests believed to be reliable. Flinn Scientific, Inc. makes no guarantee of the accuracy or completeness of the data and shall not be liable for any damages relating thereto. The data is offered solely for your consideration, investigation, and verification. The data should not be confused with local, state, federal or insurance mandates, regulations, or requirements and CONSTITUTE NO WARRANTY. Any use of this data and information must be determined by the science instructor to be in accordance with applicable local, state or federal laws and regulations. The conditions or methods of handling, storage, use and disposal of the product(s) described are beyond the control of Flinn Scientific, Inc. and may be beyond our knowledge. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THIS PRODUCT(S).

 $N.A. = Not \ available, \ not \ all \ health \ aspects \ of this \ substance \ have \ been \ fully \ investigated.$

N/A = Not applicable

Consult your copy of the Flinn Science Catalog/Reference Manual for additional information about laboratory chemicals.

Revision Date: August 31, 2016