

Issuing Date No data available

Revision Date 17-Dec-2014

Revision Number :0

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

### GHS product identifier

**Product Name** Rustlick WS 5050

### Other means of identification

**Synonyms** None

### Recommended use of the chemical and restrictions on use

**Recommended Use** Heavy-duty water-soluble oil

**Uses advised against** No information available

### Manufacturer

#### **Manufacturer Name/Address/Phone Number**

ITW Pro Brands  
616 East Industrial Street  
DeWitt, IA 52742  
TEL: 1-800-241-8334 for US/ +1 770-243-8800 outside US

### Emergency telephone number

**Emergency Telephone Number** CHEMTREC: 1-800-424-9300 for US/ 703-527-3887 outside US

## 2. HAZARDS IDENTIFICATION

### Classification

This chemical is considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200)

Skin Sensitization

Category 1

### GHS Label elements, including precautionary statements

#### Emergency Overview

**Signal Word**

**Warning**

#### **Hazard Statements**

- May cause an allergic skin reaction



**Appearance:** Dark Blue

**Physical State:** Liquid

**Odor:** Characteristics

**Precautionary Statements****Prevention**

- Avoid breathing dust/fume/gas/mist/vapors/spray.
- Contaminated work clothing should not be allowed out of the workplace.
- Wear protective gloves/protective clothing/eye protection/face protection.

**General Advice**

- None

**Skin**

- IF ON SKIN: Wash with plenty of soap and water.
- If skin irritation or rash occurs: Get medical advice/attention.
- Wash contaminated clothing before reuse.

**Fire**

- In case of fire: Use CO<sub>2</sub>, dry chemical, or foam for extinction.

**Storage**

- None

**Disposal**

- Dispose of contents/container to an approved waste disposal plant.

**Hazard Not Otherwise Classified (HNOC)**

Not applicable

**Other information**

Very toxic to aquatic life Very toxic to aquatic life with long lasting effects

12% of the mixture consists of ingredient(s) of unknown toxicity.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight%	Trade Secret
Petroleum distillates, hydrotreated heavy Naphthenic	64742-52-5	30-60	*
2-(2-Aminoethoxy)ethanol	929-06-6	1-5	*
Hexahydro-1,3,5-tris(2-hydroxyethyl)-S-triazine	4719-04-4	1-5	*
Sodium pyridithione	3811-73-2	0.1-1	*

*\*The exact percentage (concentration) of composition has been withheld as a trade secret.*

#### 4. FIRST AID MEASURES

##### Description of necessary first-aid measures

<b>Eye Contact</b>	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
<b>Skin Contact</b>	Wash skin with soap and water. If skin irritation or rash occurs: Get medical advice/attention. Remove and wash contaminated clothing before re-use.
<b>Inhalation</b>	If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.
<b>Ingestion</b>	IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell

##### Most important symptoms/effects, acute and delayed

**Most Important Symptoms/Effects** Hives, Rashes.

##### Indication of immediate medical attention and special treatment needed, if necessary

**Notes to Physician** May cause sensitization by skin contact.

#### 5. FIRE-FIGHTING MEASURES

##### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable Extinguishing Media** None

##### Specific Hazards Arising from the Chemical

May burn if exposed to high temperature. Use water spray to cool unopened containers.

##### Explosion Data

**Sensitivity to Mechanical Impact** None.

**Sensitivity to Static Discharge** None.

##### Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### 6. ACCIDENTAL RELEASE MEASURES

##### Personal precautions, protective equipment and emergency procedures

**Personal Precautions** Avoid contact with skin, eyes and clothing. Wash thoroughly after handling.

##### Environmental Precautions

**Environmental Precautions** See Section 12 for additional Ecological Information.

**Methods and materials for containment and cleaning up****Methods for Containment**

Prevent further leakage or spillage if safe to do so.

**Methods for Cleaning Up**

Dam up. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up and shovel into suitable containers for disposal.

**7. HANDLING AND STORAGE****Precautions for safe handling****Handling**

Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Remove and wash contaminated clothing before re-use.

**Conditions for safe storage, including any incompatibilities****Storage**

Keep container tightly closed in a dry and well-ventilated place.

**Incompatible Products**

Strong oxidizing agents.

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION****Control parameters****Exposure Guidelines**

This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

**Appropriate engineering controls****Engineering Measures**Showers  
Eyewash stations  
Ventilation systems**Individual protection measures, such as personal protective equipment****Eye/Face Protection**

Safety glasses with side-shields.

**Skin and Body Protection**

Wear protective gloves/clothing.

**Respiratory Protection I**

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**Hygiene Measures**

When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area and clothing.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

<b>Physical State</b>	Liquid	<b>Appearance</b>	Dark blue
<b>Odor</b>	Characteristic	<b>Odor Threshold</b>	No information available
<b>Property</b>	<b>Values</b>	<b>Remarks/ - Method</b>	
<b>Ph</b>	9.5	at 10%	
<b>Melting Point/Range</b>	No data available	None known	
<b>Boiling Point/Boiling Range</b>	100 °C / 212 °F	None known	
<b>Flash Point</b>	> 93 °C / > 200 °F	PMCC	
<b>Evaporation rate</b>	> 0.1	None known	
<b>Flammability (solid, gas)</b>	No data available	None known	
<b>Flammability Limits in Air</b>			
<b>upper flammability limit</b>	No data available		
<b>lower flammability limit</b>	No data available		
<b>Vapor Pressure</b>	< 1	None known	
<b>Vapor Density</b>	Heavier than air	None known	
<b>Specific Gravity</b>	0.98	None known	
<b>Water Solubility</b>	Emulsifies	None known	
<b>Solubility in other solvents</b>	No data available	None known	
<b>Partition coefficient: n-octanol/water</b>	No data available	None known	
<b>Autoignition Temperature</b>	No data available	None known	
<b>Decomposition Temperature</b>	No data available	None known	
<b>Viscosity</b>	No data available	None known	
<b>Flammable Properties</b>	Not flammable		
<b>Explosive Properties</b>	No data available		
<b>Oxidizing Properties</b>	No data available		
<b><u>Other information</u></b>			
<b>VOC Content (%)</b>	No data available		
<b>VOC (g/l)</b>	92.82 g/l in concentrate		

## 10. STABILITY AND REACTIVITY

### **Reactivity**

No data available.

### **Chemical stability**

Stable under recommended storage conditions.

### **Possibility of hazardous reactions**

None under normal processing.

### **Hazardous Polymerization**

Hazardous polymerization does not occur.

### **Conditions to avoid**

High temperatures.

**Incompatible materials**

Strong oxidizing agents.

**Hazardous decomposition products**

Carbon oxides, Hydrocarbons, Nitrogen oxides (NOx).

**11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure****Product Information****Inhalation**

There is no data available for this product

May cause irritation.

**Eye Contact**

May cause irritation.

**Skin Contact**

May cause allergic skin reaction Prolonged skin contact may defat the skin and produce dermatitis.

**Ingestion**

There is no data available for this product.

**Component Information**

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
2-(2-Aminoethoxy)ethanol	= 2557.9 mg/kg ( Rat )	= 1190 µL/kg ( Rabbit )	-
Hexahydro-1,3,5-tris(2-hydroxyethyl)-S-triazine	= 763 mg/kg ( Rat )	-	-

**Symptoms related to the physical, chemical and toxicological characteristics****Symptoms**

Rash

**Delayed and immediate effects and also chronic effects from short and long term exposure****Sensitization**

No information available.

**Mutagenic Effects**

No information available.

**Carcinogenicity**

Petroleum products are known to cause cancer because of carcinogenic components (e.g. benzene, DMSO). These carcinogenic components are typically found in crude petroleum products and are removed through the refinement process.

**ACGIH: (American Conference of Governmental Industrial Hygienists)**

None

**IARC: (International Agency for Research on Cancer)**

Group 3 - Not Classifiable as to its Carcinogenicity to Humans

**OSHA: (Occupational Safety & Health Administration)**

X – Present

**Reproductive Toxicity**

No information available.

**STOT - single exposure**

No information available.

**STOT - repeated exposure**

No information available.

**Aspiration Hazard**

No information available.

**Numerical measures of toxicity - Product****Acute Toxicity**

12% of the mixture consists of ingredient(s) of unknown toxicity.

*The following values are calculated based on chapter 3.1 of the GHS document:***LD50 Oral**

28426 mg/kg; Acute toxicity estimate

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

The environmental impact of this product has not been fully investigated.

12 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Petroleum distillates, hydrotreated heavy naphthenic 64742-52-5		LC50 96 h: > 5000 mg/L (Oncorhynchus mykiss)		EC50 48 h: > 1000 mg/L (Daphnia magna)
2-(2-Aminoethoxy)ethanol 929-06-6	EC50 72 h: = 160 mg/L (Desmodesmus subspicatus)	LC50 96 h: = 460 mg/L static (Leuciscus idus)	EC50 = 110 mg/L 17 h	EC50 48 h: = 190 mg/L (Daphnia magna)
Hexahydro-1,3,5-tris(2-hydroxyethyl)-S-triazine 4719-04-4	-	-	EC50 = 28.9 mg/L 15 min	-

### **Persistence and Degradability Bioaccumulation**

No information available.  
No information available.

### Other Adverse Effects

No information available.

## 13. DISPOSAL CONSIDERATIONS

### **Waste Disposal Methods**

This material, as supplied, is not a hazardous waste according to Federal regulations (40CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

### **Contaminated Packaging**

Do not re-use empty containers.

## 14. TRANSPORT INFORMATION

### DOT

Not regulated

### TDG

Not regulated.

### MEX

Not regulated

## 15. REGULATORY INFORMATION

### International Inventories

**TSCA** Complies

### Legend

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

### U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

#### SARA 311/312 Hazard Categories

<b>Acute Health Hazard</b>	Yes
<b>Chronic Health Hazard</b>	Yes
<b>Fire Hazard</b>	No
<b>Sudden Release of Pressure Hazard</b>	No
<b>Reactive Hazard</b>	No

### Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40CFR 122.42).

### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

### U.S. State Regulations

#### California Proposition 65

This product does not contain any Proposition 65 chemicals.

### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Petroleum distillates, hydrotreated heavy naphthenic				X	
2-(2-Aminoethoxy)ethanol	X	X			

### U.S. EPA Label Information

**EPA Pesticide Registration Number** Not applicable



**16. OTHER INFORMATION**

<b><u>NFPA</u></b>	<b>Health Hazard 1</b>	<b>Flammability 1</b>	<b>Instability 0</b>	<b>Physical and Chemical Hazards -</b>
<b><u>HMIS</u></b>	<b>Health Hazard 1</b>	<b>Flammability 1</b>	<b>Physical Hazard 0</b>	<b>Personal Protection X</b>

*\*Indicates a chronic health hazard.*

**Prepared By**

ITW Pro Brands  
616 East Industrial Street  
DeWitt, IA 52742  
TEL: 1-800-241-8334 for US/ +1 770-243-8800 outside US

**Revision Date** 17-Dec-2014

**Revision Note** No information available.

**General Disclaimer**

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet**