

Date Prepared: 06/03/2016 Reviewed On: 12/16/2015

1 Identification

· Product Identifier:

· Product Name: Voges Proskauer B

· Catalog Number: 261193

· Application of the substance / the mixture

Laboratory Chemicals Laboratory Chemicals

· Details of the supplier of the safety data sheet

Manufacturer/Supplier:

BD Diagnostic Systems

7 Loveton Circle

Sparks, MD 21152

Telephone: (410) 771 - 0100 or (800) 638 – 8663 Email Address: Technical_Services@bd.com

Information Department: Technical Service

Emergency telephone number:

In case of a chemical emergency, spill, fire, exposure, or accident, contact BD Diagnostic Systems (410) 771-0100 or (800)-638-8663, or ChemTrec at (800) 424-9300.

2 Hazard(s) identification

Classification of the substance or mixture



GHS05 Corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms





GHS05 GHS07

- · Signal word Danger
- · Hazard-determining components of labeling: potassium hydroxide

(Contd. on page 2)



Reviewed On: 12/16/2015 Date Prepared: 06/03/2016

Product Name: Voges Proskauer B

(Contd. of page 1)

· Hazard statements

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P260 Do not breathe dusts or mists.

P280 Wear eye protection / face protection. P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P301+P312 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

P363 Wash contaminated clothing before reuse.

P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P405 Store locked up.

Dispose of contents/container in accordance with local/regional/national/ P501

international regulations.

· NFPA ratings (scale 0-4)



Health = 3Flammability = 0Reactivity = 0

· HMIS ratings (scale 0-4)



 4 Health = 4 Flammability = 0REACTIVITY \bigcirc Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable. · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixture
- · **Description**: Mixture consisting of the following components.

Dangerous Components:

CAS: 1310-58-3 potassium hydroxide 40.0% EINECS: 215-181-3 Skin Corr. 1A, H314; Acute Tox. 4, H302

(Contd. on page 3)



Date Prepared: 06/03/2016 Reviewed On: 12/16/2015

Product Name: Voges Proskauer B

(Contd. of page 2)

· Additional information Risk phrases refer to section 15.

4 First-aid measures

- · Description of first aid measures
- · General information Immediately remove contaminated clothing.
- · After skin contact Immediately wash with water and soap and rinse thoroughly.
- · After eye contact

Rinse opened eye for 15 minutes under running water. Then consult a doctor.

· After swallowing

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

- · Information for doctor Show this product label or this SDS.
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents

CO2, ABC multipurpose dry chemical or water spray. Fight larger fires with water spray or alcohol resistant foam.

Special hazards arising from the substance or mixture

No further relevant information available.

- · Advice for firefighters
- Protective equipment: No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Wipe up with damp sponge or mop.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders). Use neutralizing agent.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.



Date Prepared: 06/03/2016 Reviewed On: 12/16/2015

Product Name: Voges Proskauer B

(Contd. of page 3)

7 Handling and storage

- · Handling
- · Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility:

Do not store together with oxidizing and acidic materials.

- Further information about storage conditions: Store in cool, dry conditions in well sealed containers.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems:

No further data; see Section 7. Not applicable

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

1310-58-3 potassium hydroxide

REL Ceiling limit value: 2 mg/m³
TLV Ceiling limit value: 2 mg/m³

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal Protective Equipment
- · General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure, use a chemical fume hood or a NIOSH/MSHA-approved respirator.

· Protection of hands:





Chemical resistant gloves (i.e. nitrile, or equivalent).



Date Prepared: 06/03/2016 Reviewed On: 12/16/2015

Product Name: Voges Proskauer B

(Contd. of page 4)

· Eye protection:

Safety glasses

Tightly sealed goggles.

· **Body protection:** Protective work clothing (lab coat).

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid
Color: Clear
Odor: Odorless

• **pH-value:** 13.1 +/- 0.2

· Change in condition

Melting point/Melting range: Not determined Boiling point/Boiling range: Not determined

· Flash point: Not applicable

• **Auto igniting:** Product is not self igniting.

Danger of explosion: Product does not present an explosion hazard.

· **Density**: Not determined

· Solubility in / Miscibility with

Water: Soluble

· Other information No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: Incompatibles materials: Strong Bases and oxidizers
- · Hazardous decomposition products: No dangerous decomposition products known.

110



Date Prepared: 06/03/2016 Reviewed On: 12/16/2015

Product Name: Voges Proskauer B

(Contd. of page 5)

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

1310-58-3 potassium hydroxide

Oral LD50 273 mg/kg (mou) 365 mg/kg (rat)

- · Primary irritant effect:
- · on the skin: Strong caustic effect on skin and mucous membranes.
- · on the eye: Strong caustic effect.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Corrosive (causes skin burns)

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Other information:

The ecological effects have not been thoroughly investigated, but currently none have been identified.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

(Contd. on page 7)



Date Prepared: 06/03/2016 Reviewed On: 12/16/2015

Product Name: Voges Proskauer B

(Contd. of page 6)

· Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Dispose of material in accordance with federal (40 CFR 261.3), state and local requirements. RCRA hazardous waste - RCRA # D002 (Corrosive). Must not be disposed of with solid waste.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to state and federal regulations.

14 Transport information	
· UN-Number	
· DOT, IMDG, IATA	UN1814
· UN proper shipping name · IMDG · IATA	POTASSIUM HYDROXIDE SOLUTION Potassium hydroxide, solution
· Transport hazard class(es)	
· DOT	
OORROSIVE	
· Class	8 Corrosive substances
· Label	8
· IMDG, IATA	
· Class	8 Corrosive substances
· Label	8
· Packing group	
· DOT, IMDG, IATA	III



Date Prepared: 06/03/2016 Reviewed On: 12/16/2015

Product Name: Voges Proskauer B

(Contd. of page
No
Warning: Corrosive substances 80 F-A,S-B Alkalis A SG35 Stow "separated from" acids.
of Not applicable.
Not dangerous according to the above specifications.
This product can be transported using the "small quantity" exception. This package conforms to 49 CFR 173.4 for domestic highway or rail transport only. The Hazard Class, Identification number, and Packing group listed above is for informational purposes only.
5L Code: E1 Maximum net quantity per inner packaging: 3 ml Maximum net quantity per outer packaging: 1000 ml This product can be transported using the
exception: Dangerous Goods in Excepted Quantities. The Hazard class, Identification number, and Packing group listed above is fo informational purposes only.
This product can be former at a local and
This product can be transported using the exception: Dangerous Goods in Excepted Quantities. The Hazard class, Identification number, and Packing group listed above is fo informational purposes only.



Date Prepared: 06/03/2016 Reviewed On: 12/16/2015

Product Name: Voges Proskauer B

(Contd. of page 8)

· UN "Model Regulation": UN1814, POTASSIUM HYDROXIDE

SOLUTION, 8, III

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · SARA Section 355 (extremely hazardous substances)

None of the ingredients is listed.

· SARA Section 313 (specific toxic chemical listings)

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act)

All ingredients are listed.

· California Proposition 65 - Chemicals known to cause cancer

None of the ingredients is listed.

 California Proposition 65 - Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· California Proposition 65 - Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· California Proposition 65 - Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- Carcinogenic categories
- · TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms





GHS05 GHS07

- · Signal word Danger
- · Hazard-determining components of labeling: potassium hydroxide

(Contd. on page 10)



Date Prepared: 06/03/2016 Reviewed On: 12/16/2015

Product Name: Voges Proskauer B

(Contd. of page 9)

· Hazard statements

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P260 Do not breathe dusts or mists.

P280 Wear eye protection / face protection.
P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

P363 Wash contaminated clothing before reuse.

P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

To the best of our knowledge, the information contained herein is accurate. However, neither Becton, Dickinson and Company or any of its subsidiaries assumes any liabilities whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we can not guarantee that these are the only hazards that exist.

· Department issuing SDS:

Environmental, Health & Safety Created by Michael J. Spinazzola

- · Contact: Technical Service Representative
- · Date of preparation / last revision 06/03/2016 / -

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

(Contd. on page 11)



Reviewed On: 12/16/2015 Date Prepared: 06/03/2016

Product Name: Voges Proskauer B

(Contd. of page 10)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1A: Skin corrosion/irritation – Category 1A Eye Dam. 1: Serious eye damage/eye irritation – Category 1